

Part IV

Secret-key cryptosystems

CHAPTER 4: CLASSICAL (SECRET-KEY) CRYPTOSYSTEMS

- In this chapter we deal with some of the very old, or quite old, classical (secret-key or symmetric) cryptosystems that were primarily used in the pre-computer era.
- These cryptosystems are too weak nowadays, too easy to break, especially with computers.
- However, these simple cryptosystems give a good illustration of several of the important ideas of the cryptography and cryptanalysis.
- Moreover, most of them can be very useful in combination with more modern cryptosystem - to add a new level of security.

CRYPTOLOGY, CRYPTOSYSTEMS - SECRET-KEY CRYPTOGRAPHY

Cryptology (= cryptography + cryptanalysis)

has more than two thousand years of history.

Basic historical observation

- People have always had fascination with keeping information away from others.
- Some people – rulers, diplomats, military people, businessmen – have always had needs to keep some information away from others.

Importance of cryptography nowadays

- **Applications:** cryptography is the key tool to make modern information transmission secure, and to create secure information society.
- **Foundations:** cryptography gave rise to several new key concepts of the foundation of informatics: one-way functions, computationally perfect pseudorandom generators, zero-knowledge proofs, holographic proofs, program self-testing and self-correcting, . . .

Sound approaches to cryptography


- Shannon's approach based on **information theory** (enemy could not have enough information to break a cryptosystem).
- Current approach based on **complexity theory** (enemy could not have enough computation power to break a cryptosystem).
- Very recent approach based on the laws and limitations of **quantum physics** (enemy would need to break laws of nature in order to break a cryptosystem).

Paradoxes of modern cryptography

- **Positive results** of modern cryptography are based on **negative results** of complexity theory.
- Computers, that were designed originally for **decryption**, seem to be now more useful for **encryption**.

CRYPTOSYSTEMS - CIPHERS

The cryptography deals with problem of sending a **message** (plaintext, cleartext), through an **insecure channel**, that may be tapped by an **adversary** (**eavesdropper**, cryptanalyst), to a legal receiver.



COMPONENTS of CRYPTOSYSTEMS:

Plaintext-space: P – a set of plaintexts (messages) over an alphabet Σ

Cryptotext-space: C – a set of cryptotexts (ciphertexts) over alphabet Δ

Key-space: K – a set of keys

Each key k determines an **encryption algorithm** e_k and an **decryption algorithm** d_k such that, for any plaintext w , $e_k(w)$ is the corresponding cryptotext and

$$w \in d_k(e_k(w)) \quad \text{or} \quad w = d_k(e_k(w)).$$

Note: As encryption algorithms we can use also **randomized algorithms**.

CAESAR (100 - 42 B.C.) CRYPTOSYSTEM - SHIFT CIPHER I

CAESAR can be used to encrypt words in any alphabet.

In order to encrypt words in English alphabet we use:

Key-space: $\{0, 1, \dots, 25\}$

An encryption algorithm e_k substitutes any letter by the letter occurring k positions ahead (cyclically) in the alphabet.

A decryption algorithm d_k substitutes any letter by the one occurring k positions backward (cyclically) in the alphabet.

CAESAR CRYPTOSYSTEM - SHIFT CIPHER II

Example $e_2(\text{EXAMPLE}) = \text{GZCOSNG}$,
 $e_2(\text{EXAMPLE}) = \text{HADPTOH}$,
 $e_1(\text{HAL}) = \text{IBM}$,
 $e_3(\text{COLD}) = \text{FROG}$

ABCDEFGHIJKLMNOPQRSTUVWXYZ

Example Find the plaintext to the following cryptotext obtained by the encryption with CAESAR with $k = ?$.

Cryptotext: VHFUHW GH GHXA, VHFUHW GH GLHX,
VHFUHW GH WURLV, VHFUHW GH WRXV.

Numerical version of CAESAR is defined, for English, on the set $\{0, 1, 2, \dots, 25\}$ by the encryption algorithm:

$$e_k(i) = (i + k)(\text{mod } 26)$$

POLYBIOUS CRYPTOSYSTEM

for encryption of words of the English alphabet without J.

Key-space: Polybious checkerboards 5×5 with 25 English letters and with rows + columns labeled by symbols.

Encryption algorithm: Each symbol is substituted by the pair of symbols denoting the row and the column of the checkerboard in which the symbol is placed.

Example:

	F	G	H	I	J
A	A	B	C	D	E
B	F	G	H	I	K
C	L	M	N	O	P
D	Q	R	S	T	U
E	V	W	X	Y	Z

KONIEC →

Decryption algorithm: ???

KERCKHOFF'S PRINCIPLE

The philosophy of modern cryptanalysis is embodied in the following principle formulated in 1883 by [Jean Guillaume Hubert Victor Francois Alexandre Auguste Kerckhoffs von Nieuwenhof](#) (1835 - 1903).

The security of a cryptosystem must not depend on keeping secret the encryption algorithm. The security should depend only on *keeping secret the key*.

BASIC REQUIREMENTS for GOOD CRYPTOSYSTEMS

(Sir Francis R. Bacon (1561 - 1626))

- 1 Given e_k and a plaintext w , it should be **easy** to compute $c = e_k(w)$.
- 2 Given d_k and a cryptotext c , it should be **easy** to compute $w = d_k(c)$.
- 3 A cryptotext $e_k(w)$ should **not be much longer** than the plaintext w .
- 4 It should be **unfeasible** to determine w from $e_k(w)$ without knowing d_k .
- 5 The so called **avalanche effect** should hold: **A small change in the plaintext, or in the key, should lead to a big change in the cryptotext** (i.e. a change of one bit of the plaintext should result in a change of all bits of the cryptotext, each with the probability close to 0.5).
- 6 The cryptosystem should **not be closed under composition**, i.e. not for every two keys k_1, k_2 there is a key k such that

$$e_k(w) = e_{k_1}(e_{k_2}(w)).$$

- 7 The set of keys should be **very large**.

The aim of cryptanalysis is to get as much information about the plaintext or the key as possible.

Main types of cryptanalytic attacks

- 1 **Cryptotexts-only attack.** The cryptanalysts get cryptotexts $c_1 = e_k(w_1), \dots, c_n = e_k(w_n)$ and try to infer the key k or as many of the plaintexts w_1, \dots, w_n as possible.
- 2 **Known-plaintexts attack (given are some pairs [plaintext, cryptotext])**
The cryptanalysts know some pairs $w_i, e_k(w_i), 1 \leq i \leq n$, and try to infer k , or at least w_{n+1} for a new cryptotext $e_k(w_{n+1})$.
- 3 **Chosen-plaintexts attack (given are cryptotext for some chosen plaintexts)**
The cryptanalysts choose plaintexts w_1, \dots, w_n to get cryptotexts $e_k(w_1), \dots, e_k(w_n)$, and try to infer k or at least w_{n+1} for a new cryptotext $c_{n+1} = e_k(w_{n+1})$. (For example, if they get temporary access to the encryption machinery.)

4 Known-encryption-algorithm attack

The encryption algorithm e_k is given and the cryptanalysts try to get the decryption algorithm d_k .

5 Chosen-cryptotext attack (given are plaintexts for some chosen cryptotexts)

The cryptanalysts know some pairs

$$[c_i, d_k(c_i)], \quad 1 \leq i \leq n,$$

where the cryptotexts c_i have been chosen by the cryptanalysts. The aim is to determine the key. (For example, if cryptanalysts get a temporary access to decryption machinery.)

WHAT CAN BAD EVE DO?

Let us assume that a clever Alice sends an encrypted message to Bob.

What can a bad enemy, called usually Eve (eavesdropper), do?

- Eve can read (and try to decrypt) the message.
- Eve can try to get the key that was used and then decrypt all messages encrypted with the same key.
- Eve can change the message sent by Alice into another message, in such a way that Bob will have the feeling, after he gets the changed message, that it was a message from Alice.
- Eve can pretend to be Alice and communicate with Bob, in such a way that Bob thinks he is communicating with Alice.

An **eavesdropper** can therefore be **passive - Eve** or **active - Mallot**.

BASIC GOALS of BROADLY UNDERSTOOD CRYPTOGRAPHY

Confidentiality: Eve should not be able to decrypt the message Alice sends to Bob.

Data integrity: Bob wants to be sure that Alice's message has not been altered by Eve.

Authentication: Bob wants to be sure that only Alice could have sent the message he has received.

Non-repudiation: Alice should not be able to claim that she did not send messages that she has sent.

Anonymity: Alice does not want Bob to find out who sent the message

HILL CRYPTOSYSTEM I

The cryptosystem presented in this slide was probably never used. In spite of that this cryptosystem played an important role in the history of modern cryptography.

We describe Hill cryptosystem for a fixed n and the English alphabet.

Key-space: The set of all matrices M of degree n with elements from the set $\{0, 1, \dots, 25\}$ such that $M^{-1} \bmod 26$ exist.

Plaintext + cryptotext space: English words of length n .

Encoding: For a word w let c_w be the column vector of length n of the integer codes of symbols of w . ($A \rightarrow 0, B \rightarrow 1, C \rightarrow 2, \dots$)

Encryption: $c_c = M c_w \bmod 26$

Decryption: $c_w = M^{-1} c_c \bmod 26$

HILL CRYPTOSYSTEM - EXAMPLE

Example A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

$$M = \begin{bmatrix} 4 & 7 \\ 1 & 1 \end{bmatrix} M^{-1} = \begin{bmatrix} 17 & 11 \\ 9 & 16 \end{bmatrix}$$

Plaintext: $w =$ LONDON

$$C_{LO} = \begin{bmatrix} 11 \\ 14 \end{bmatrix}, C_{ND} = \begin{bmatrix} 13 \\ 3 \end{bmatrix}, C_{ON} = \begin{bmatrix} 14 \\ 13 \end{bmatrix}$$

$$MC_{LO} = \begin{bmatrix} 12 \\ 25 \end{bmatrix}, MC_{ND} = \begin{bmatrix} 21 \\ 16 \end{bmatrix}, MC_{ON} = \begin{bmatrix} 17 \\ 1 \end{bmatrix}$$

Cryptotext: MZVQRB

Theorem

$$\text{If } M = \begin{bmatrix} a_{11} & a_{12} \\ a_{21} & a_{22} \end{bmatrix}, \text{ then } M^{-1} = \frac{1}{\det M} \begin{bmatrix} a_{22} & -a_{12} \\ -a_{21} & a_{11} \end{bmatrix}$$

Proof: Exercise

SECRET-KEY (SYMMETRIC) CRYPTOSYSTEMS

A cryptosystem is called **secret-key cryptosystem** if some secret piece of information – the key – has to be agreed first between any two parties that have, or want, to communicate through the cryptosystem. Example: CAESAR, HILL. Another name is **symmetric cryptosystem (cryptography)**.

Two basic types of secret-key cryptosystems

- **substitution** based cryptosystems
- **transposition** based cryptosystems

Two basic types of substitution cryptosystems

- **monoalphabetic cryptosystems** – they use a fixed substitution – CAESAR, POLYBIUS
- **polyalphabetic cryptosystems** – substitution keeps changing during the encryption

A monoalphabetic cryptosystem with letter-by-letter substitution is uniquely specified by a permutation of letters, (number of permutations (keys) is $26!$)

AFFINE CRYPTOSYSTEMS

Example: An **AFFINE cryptosystem** is given by two integers

$$0 \leq a, b \leq 25, \gcd(a, 26) = 1.$$

Encryption: $e_{a,b}(x) = (ax + b) \bmod 26$

Example

$$a = 3, b = 5, e_{3,5}(x) = (3x + 5) \bmod 26,$$

$$e_{3,5}(3) = 14, e_{3,5}(15) = 24 - e_{3,5}(D) = O, e_{3,5}(P) = Y$$

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Decryption: $d_{a,b}(y) = a^{-1}(y - b) \bmod 26$

CRYPTANALYSIS

The basic cryptanalytic attack against monoalphabetic substitution cryptosystems begins with a **frequency count**: the number of each letter in the cryptotext is counted. The distributions of letters in the cryptotext is then compared with some official distribution of letters in the plaintext language.

The letter with the highest frequency in the cryptotext is likely to be substitute for the letter with highest frequency in the plaintext language The likelihood grows with the length of cryptotext.

Frequency counts in English:

	%		%		%
E	12.31	L	4.03	B	1.62
T	9.59	D	3.65	G	1.61
A	8.05	C	3.20	V	0.93
O	7.94	U	3.10	K	0.52
N	7.19	P	2.29	Q	0.20
I	7.18	F	2.28	X	0.20
S	6.59	M	2.25	J	0.10
R	6.03	W	2.03	Z	0.09
H	5.14	Y	1.88		
	70.02		24.71		5.27

and for other languages:

English	%	German	%	Finnish	%	French	%	Italian	%	Spanish	%
E	12.31	E	18.46	A	12.06	E	15.87	E	11.79	E	13.15
T	9.59	N	11.42	I	10.59	A	9.42	A	11.74	A	12.69
A	8.05	I	8.02	T	9.76	I	8.41	I	11.28	O	9.49
O	7.94	R	7.14	N	8.64	S	7.90	O	9.83	S	7.60
N	7.19	S	7.04	E	8.11	T	7.29	N	6.88	N	6.95
I	7.18	A	5.38	S	7.83	N	7.15	L	6.51	R	6.25
S	6.59	T	5.22	L	5.86	R	6.46	R	6.37	I	6.25
R	6.03	U	5.01	O	5.54	U	6.24	T	5.62	L	5.94
H	5.14	D	4.94	K	5.20	L	5.34	S	4.98	D	5.58

The 20 most common **digrams** are (in decreasing order) TH, HE, IN, ER, AN, RE, ED, ON, ES, ST, EN, AT, TO, NT, HA, ND, OU, EA, NG, AS. The six most common **trigrams**: THE, ING, AND, HER, ERE, ENT.

CRYPTANALYSIS of AFFINE CRYPTOSYSTEM - EXAMPLE

Cryptanalysis of a cryptotext encrypted using the AFFINE cryptosystem with an encryption algorithm

$$e_{a,b}(x) = (ax + b) \bmod 26 = (xa + b) \bmod 26$$

where $0 \leq a, b \leq 25, \gcd(a, 26) = 1$. (Number of keys: $12 \times 26 = 312$.)

Example: Assume that an English plaintext is divided into blocks of 5 letters and encrypted by an AFFINE cryptosystem (ignoring space and inter-punctuations) as follows:

How to find the plaintext?

```
B H J U H   N B U L S   V U L R U   S L Y X H
O N U U N   B W N U A   X U S N L   U Y J S S
W X R L K   G N B O N   U U N B W   S W X K X
H K X D H   U Z D L K   X B H J U   H B N U O
N U M H U   G S W H U   X M B X R   W X K X L
U X B H J   U H C X K   X A X K Z   S W K X X
L K O L J   K C X L C   M X O N U   U B V U L
R R W H S   H B H J U   H N B X M   B X R W X
K X N O Z   L J B X X   H B N F U   B H J U H
L U S W X   G L L K Z   L J P H U   U L S Y X
B J K X S   W H S S W   X K X N B   H B H J U
H Y X W N   U G S W X   G L L K
```

CRYPTANALYSIS - CONTINUATION I

Frequency analysis of plaintext and frequency table for English:

X - 32 J - 11 D - 2
 U - 30 O - 6 V - 2
 H - 23 R - 6 F - 1
 B - 19 G - 5 P - 1
 L - 19 M - 4 E - 0
 N - 16 Y - 4 I - 0
 K - 15 Z - 4 Q - 0
 S - 15 C - 3 T - 0
 W - 14 A - 2

	%		%		%
E	12.31	L	4.03	B	1.62
T	9.59	D	3.65	G	1.61
A	8.05	C	3.20	V	0.93
O	7.94	U	3.10	K	0.52
N	7.19	P	2.29	Q	0.20
I	7.18	F	2.28	X	0.20
S	6.59	M	2.25	J	0.10
R	6.03	W	2.03	Z	0.09
H	5.14	Y	1.88		
	70.02		24.71		5.27

First guess: $E = X, T = U$

Encodings: $4a + b = 23 \pmod{26}$

$xa + b = y$ $19a + b = 20 \pmod{26}$

Solutions: $a = 5, b = 3 \rightarrow a^{-1} =$

Translation table

crypto	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
plain	P	K	F	A	V	Q	L	G	B	W	R	M	H	C	X	S	N	I	D	Y	T	O	J	E	Z	U

B H J U H N B U L S V U L R U S L Y X H
 O N U U N B W N U A X U S N L U Y J S S
 W X R L K G N B O N U U N B W S W X K X
 H K X D H U Z D L K X B H J U H B N U O
 N U M H U G S W H U X M B X R W X K X L
 U X B H J U H C X K X A X K Z S W K X X
 L K O L J K C X L C M X O N U U B V U L
 R R W H S H B H J U H N B X M B X R W X
 K X N O Z L J B X X H B N F U B H J U H
 L U S W X G L L K Z L J P H U U L S Y X
 B J K X S W H S S W X K X N B H B H J U
 H Y X W N U G S W X G L L K

provides from the above cryptotext the plaintext that starts with KGWTG CKTMO OTMIT DMZEG, which does not make sense.

CRYPTANALYSIS - CONTINUATION II

Second guess: $E = X, A = H$

Equations $4a + b = 23 \pmod{26}$

$$b = 7 \pmod{26}$$

Solutions: $a = 4$ or $a = 17$ and therefore $a = 17$

This gives the translation table

crypto	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
plain	V	S	P	M	J	G	D	A	X	U	R	O	L	I	F	C	Z	W	T	Q	N	K	H	E	B	Y

*and the following
plaintext from the
above cryptotext*

S A U N A I S N O T K N O W N T O B E A
F I N N I S H I N V E N T I O N B U T T
H E W O R D I S F I N N I S H T H E R E
A R E M A N Y M O R E S A U N A S I N F
I N L A N D T H A N E L S E W H E R E O
N E S A U N A P E R E V E R Y T H R E E
O R F O U R P E O P L E F I N N S K N O
W W H A T A S A U N A I S E L S E W H E
R E I F Y O U S E E A S I G N S A U N A
O N T H E D O O R Y O U C A N N O T B E
S U R E T H A T T H E R E I S A S A U N
A B E H I N D T H E D O O R

OTHER EXAMPLES of MONOALPHABETIC CRYPTOSYSTEMS


Symbols of the English alphabet will be replaced by squares with or without points and with or without surrounding lines using the following rule:

A:	B:	C:	J·	K·	L·	S	T	U
D:	E:	F:	M·	N·	O·	V	W	X
G:	H:	I:	P·	Q·	R·	Y	Z	

For example the plaintext:

WE TALK ABOUT FINNISH SAUNA MANY TIMES LATER


results in the cryptotext:



Garbage in between method: the message (plaintext or cryptotext) is supplemented by "garbage letters".

Richelieu
cryptosystem used
sheets of card board
with holes.

I	L	O	V	E	Y	O	U
I	H	A	V	E	Y	O	U
D	E	P	U	N	D	E	R
M	Y	S	K	I	N	M	Y
L	O	V	E	L	A	S	T
F	O	R	E	V	E	R	I
H	Y	P	E	R	S	P	A



HOMOPHONIC CRYPTOSYSTEMS

Homophonic cryptosystems are natural generalization of monoalphabetic cryptosystems.

They are substitution cryptosystems in which each letter is replaced by arbitrarily chosen substitutes from fixed and disjoint sets of substitutes.

The number of substitutes of a letter is usually proportional to the frequency of the letter.

Though homophonic cryptosystems are not unbreakable, they are much more secure than ordinary monoalphabetic substitution cryptosystems.

The first known homophonic substitution cipher is from 1401.

Playfair cryptosystem

Invented around 1854 by Ch. Wheatstone.

Key – a Playfair square is defined by a word w of length at most 25. In w repeated letters are then removed, remaining letters of alphabets (except j) are then added and resulting word is divided to form an 5×5 array (a Playfair square).

Encryption: of a pair of letters x, y

- 1 If x and y are in the same row (column), then they are replaced by the pair of symbols to the right (below) them.
- 2 If x and y are in different rows and columns they are replaced by symbols in the opposite corners of rectangle created by x and y - the order is important.

Example: PLAYFAIR is encrypted as LCMNNFCS

Playfair was used in World War I by British army.

Playfair square:

S	D	Z	I	U
H	A	F	N	G
B	M	V	Y	W
R	P	L	C	X
T	O	E	K	Q

VIGENERE and AUTOCLAVE cryptosystems

Several of the following polyalphabetic cryptosystems are modification of the CAESAR cryptosystem.

A 26×26 table is first designed with the first row containing a permutation of all symbols of alphabet and all columns represent CAESAR shifts starting with the symbol of the first row.

Secondly, for a plaintext w a key k is a word of the same length as w .

Encryption: the i -th letter of the plaintext - w_i - is encrypted by the letter from the w_i -row and k_i -column of the table.

VIGENERE cryptosystem is actually a cyclic, key driven, version of the CAESAR cryptosystem.

IMPORTANT EXAMPLES

VIGENERE-key cryptosystem: a short keyword p is chosen and periodically repeated to form the key to be used

$$k = \text{Prefix}_{|w|} p^{\circ\circ}$$

AUTOCLAVE-key cryptosystem: a short keyword is chosen and appended by plaintext

$$k = \text{Prefix}_{|w|} pw$$

POLYALPHABETIC SUBSTITUTION CRYPTOSYSTEMS III

VIGENERE and AUTOCLAVE cryptosystems

Example:

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A
C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B
D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C
E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D
F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E
G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F
H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G
I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H
J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I
K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J
L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K
M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L
N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M
O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N
P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q
S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V
X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W
Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X
Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y

Keyword:

Plaintext:

Vigenere-key:

Autoclave-key:

Vigenere-cryptos.:

Autoclave-cryptos.:

H A M B U R G

I N J E D E M M E N S C H E N G E S I C H T E S T E H T S E I N E G

H A M B U R G H A M B U R G H A M B U R G H A M B U R G H A M B U R

H A M B U R G I N J E D E M M E N S C H E N G E S I C H T E S T E H

P N V F X V S T E Z T W Y K U G Q T C T N A E E U Y Y Z Z E U O Y X

P N V F X V S U R W W F L Q Z K R K K J L G K W L M J A L I A G I N

CRYPTANALYSIS of cryptotexts produced by VIGENERE-key cryptosystems

1 Task 1 – to find the length of the keyword

Kasiski method (1852) - invented also by Charles Babbage (1853).

Basic observation If a subword of a plaintext is repeated at a distance that is a multiple of the length of the keyword, then the corresponding subwords of the cryptotext are the same.

Example, cryptotext:

CHRGGQPWOEIRULYANDOSHCHRIZKEBUSNOFKYWROPDCHRKGAXBNRHROAKERBKSCHRIWK

Substring “CHR” occurs in positions 1, 21, 41, 66: expected keyword length is therefore 5.

Method. Determine the greatest common divisor of the distances between identical subwords (of length 3 or more) of the cryptotext.

CRYPTANALYSIS of cryptotexts produced by VIGENERE cryptosystems I

Friedman method Let n_i be the number of occurrences of the i -th letter in the cryptotext.

Let l be the length of the keyword.

Let n be the length of the cryptotext.

Then it holds $l = \frac{0.027n}{(n-1)l - 0.038n + 0.065}$, $l = \sum_{i=1}^{26} \frac{n_i(n_i-1)}{n(n-1)}$

Once the length of the keyword is found it is easy to determine the key using the statistical (frequency analysis) method of analyzing monoalphabetic cryptosystems.

DERIVATION of the FRIEDMAN METHOD I

- 1 Let n_i be the number of occurrences of i -th alphabet symbol in a text of length n . The probability that if one selects a pair of symbols from the text, then they are the same is

$$I = \frac{\sum_{i=1}^{26} n_i(n_i-1)}{n(n-1)} = \sum_{i=1}^{26} \frac{\binom{n_i}{2}}{\binom{n}{2}}$$

and it is called the **index of coincidence**.

- 2 Let p_i be the probability that a randomly chosen symbol is the i -th symbol of the alphabet. The probability that two randomly chosen symbols are the same is

$$\sum_{i=1}^{26} p_i^2$$

For English text one has

$$\sum_{i=1}^{26} p_i^2 = 0.065$$

For randomly chosen text:

$$\sum_{i=1}^{26} p_i^2 = \sum_{i=1}^{26} \frac{1}{26^2} = 0.038$$

Approximately

$$I = \sum_{i=1}^{26} p_i^2$$

DERIVATION of the FRIEDMAN METHOD II

Assume that a cryptotext is organized into l columns headed by the letters of the keyword

letters S_l	S_1	S_2	S_3	...	S_l
	x_1	x_2	x_3	...	x_l
	x_{l+1}	x_{l+2}	x_{l+3}		x_{2l}
	x_{2l+1}	x_{2l+2}	x_{2l+3}	...	x_{3l}

First observation Each column is obtained using the CAESAR cryptosystem.

Probability that two randomly chosen letters are the same in

- the same column is 0.065.
- different columns is 0.038.

The number of pairs of letters in the same column: $\frac{l}{2} \cdot \frac{n}{l} \left(\frac{n}{l} - 1 \right) = \frac{n(n-l)}{2l}$

The number of pairs of letters in different columns: $\frac{l(l-1)}{2} \cdot \frac{n^2}{l^2} = \frac{n^2(l-1)}{2l}$

The expected number A of pairs of equals letters is $A = \frac{n(n-l)}{2l} \cdot 0.065 + \frac{n^2(l-1)}{2l} \cdot 0.038$

Since $l = \frac{A}{\frac{n(n-l)}{2l}} = \frac{1}{l(n-l)} [0.027n + l(0.038n - 0.065)]$

one gets the formula for l from the previous slide.

ONE-TIME PAD CRYPTOSYSTEM – Vernam's cipher

Binary case: $\left. \begin{array}{l} \text{plaintext } w \\ \text{key } k \\ \text{cryptotext } c \end{array} \right\}$ are binary words of the same length

Encryption: $c = w \oplus k$

Decryption: $w = c \oplus k$

Example:

$$w = 101101011$$

$$k = 011011010$$

$$c = 110110001$$

What happens if the same key is used twice or 3 times for encryption?

$$\text{If } c_1 = w_1 \oplus k, c_2 = w_2 \oplus k, c_3 = w_3 \oplus k$$

then

$$c_1 \oplus c_2 = w_1 \oplus w_2$$

$$c_1 \oplus c_3 = w_1 \oplus w_3$$

$$c_2 \oplus c_3 = w_2 \oplus w_3$$

and therefore if plaintexts w_1, w_2, w_3 are texts in a natural language, then the last three equalities allow from the knowledge of cryptotexts often to recover plaintexts by exploiting natural language redundancy.

PERFECT SECRET-KEY CRYPTOSYSTEMS

By Shannon, a cryptosystem is perfect if the knowledge of the cryptotext provides no information whatsoever about its plaintext (with the exception of its length).

It follows from Shannon's results that perfect secrecy is possible if the key-space is as large as the plaintext-space. In addition, a key has to be as long as plaintext and the same key should not be used twice.

An example of a perfect cryptosystem **ONE-TIME PAD** cryptosystem (Gilbert S. Vernam (1917) - AT&T + Major Joseph Mauborgne).

If used with the English alphabet, it is simply a polyalphabetic substitution cryptosystem of VIGENERE with the key being a randomly chosen English word of the same length as the plaintext.

Proof of perfect secrecy: by the proper choice of the key any plaintext of the same length could provide the given cryptotext.

PERFECT SECRECY of ONE-TIME PAD

One-time pad cryptosystem is **perfectly secure** because

For any cryptotext

$$c = c_1 c_2 \dots c_n$$

and any plaintext

$$p = p_1 p_2 \dots p_n$$

there exists a key (and all keys were chosen with the same probability)

$$k = k_1 k_2 \dots k_n$$

such that

$$c = p \oplus k$$

Did we gain something? The problem of secure communication of the plaintext got transformed to the problem of secure communication of the key of the same length.

Yes:

- 1 ONE-TIME PAD cryptosystem is used in critical applications
- 2 It suggests an idea how to construct practically secure cryptosystems.

Find a simple way to generate almost perfectly random key shared by both communicating parties and make them to use this key for one-time pad encoding and decoding!!!!

To

every cryptotext c

every element p of the set of plaintexts has the same probability

that it was the one the encryption of which provided c as the cryptotext.

A general form of polyalphabetic cryptosystems over an alphabet Σ is given by:

Set of keys K is formed by all sequences (p_1, p_2, \dots, p_t) where each p_i is a permutation on Σ .

Encoding of a message $m = (m_1 m_2 \dots m_t)$ by a key (p_1, p_2, \dots, p_t) is the message $(p_1(m_1) p_2(m_2) \dots p_t(m_t))$.

Decoding is done with the key $(p_1^{-1} p_2^{-1} \dots p_m^{-1})$.

TRANSPOSITION CRYPTOSYSTEMS

The **basic idea** is very simple: **permute the plaintext to get the cryptotext**. Less clear it is how to specify and perform efficiently permutations.

One idea: choose n , write plaintext into rows, with n symbols in each row and then read it by columns to get cryptotext.

Example

I	N	J	E	D	E	M	M	E	N
S	C	H	E	N	G	E	S	I	C
H	T	E	S	T	E	H	T	S	E
I	N	E	G	E	S	C	H	I	C
H	T	E	T	O	J	E	O	N	O

Cryptotexts obtained by transpositions, called **anagrams**, were popular among scientists of 17th century. They were used also to encrypt scientific findings.

Newton wrote to Leibniz

$$a^7 c^2 d^2 e^{14} f^2 i^7 l^3 m^1 n^8 o^4 q^3 r^2 s^4 t^8 v^{12} x^1$$

what stands for: “data aequatione quodcumque fluentes quantitates involvente, fluxiones invenire et vice versa”

Example

$$a^2 c d e f^3 g^2 i^2 j k m n^3 o^5 p r s^2 t^2 u^3 z$$

Solution:

KEYWORD CAESAR - Example I

Example Decrypt the following cryptotext encrypted using the KEYWORD CAESAR and determine the keyword and k

T IVD ZCRTIC FQNIQ TU TF
Q XAVFCZ FEQXC PCQUCZ WK
Q FUVBC FNRRXTTCIUAK WTY
DTUP MCFECXU UV UPC BVANHC
VR UPC FEQXC UPC FUVBC
XVIUQTIF FUVICF NFNQAAK
VI UPC UVE UV UQGC Q FQNIQ
WQUP TU TF QAFV ICXCFFQMK
UPQU UPC FUVBC TF EMVECMAK
PCQUCZ QIZ UPQU KVN PQBC
UPC RQXTATUK VR UPMVDTIY
DQUCM VI UPC FUVICF

KEYWORD CAESAR - Example II

Step 1. Make the frequency counts:

	Number		Number		Number
U	32	X	8	W	3
C	31	K	7	Y	2
Q	23	N	7	G	1
F	22	E	6	H	1
V	20	M	6	J	0
P	15	R	6	L	0
T	15	B	5	O	0
I	14	Z	5	S	0
A	8	D	4		
180=74.69%		54=22.41%		7=2.90%	

Step 2. Cryptotext contains two one-letter words T and Q. They must be A and I. Since T occurs once and Q three times it is likely that T is I and Q is A.

The three letter word UPC occurs 7 times and all other 3-letter words occur only once. Hence

UPC is likely to be THE.

Let us now decrypt the remaining letters in the high frequency group: F,V,I

From the words TU, TF \Rightarrow F=S

From UV \Rightarrow V=O

From VI \Rightarrow I=N

CONTINUATION

So we have: T=I, Q=A, U=T, P=H, C=E, F=S, V=O, I=N and now in

```
T  I V D   Z C R T I C   F Q N I Q   T U   T F
Q  X A V F C Z   F E Q X C   P C Q U C Z   W K
Q  F U V B C   F N R R T X T C I U A K   W T Y
D T U P   M C F E C X U   U V   U P C   B V A N H C
V R   U P C   F E Q X C   U P C   F U V B C
X V I U Q T I F   F U V I C F   N F N Q A A K
V I   U P C   U V E   U V   U Q G C   Q   F Q N I Q
W Q U P   T U   T F   Q A F V   I C X C F F Q M K
U P Q U   U P C   F U V B C   T F   E M V E C M A K
P C Q U C Z   Q I Z   U P Q U   K V N   P Q B C
U P C   R Q X T A T U K   V R   U P M V D T I Y
D Q U C M   V I   U P C   F U V I C F
```

we have several words with only one unknown letter what leads to another guesses and the table:

```
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
L V E W P S K M N ? Y ? R U ? H A F ? I T O B C G D
```

This leads to the keyword **CRYPTOGRAPHY GIVES ME FUN** and $k = 4$ - find out hpw

UNICITY DISTANCE of CRYPTOSYSTEMS

Redundancy of natural languages is of the key importance for cryptanalysis.

Would all letters of a 26-symbol alphabet have the same probability, a character would carry $\lg 26 = 4.7$ bits of Information.

The estimated average amount of information carried per letter in a meaningful English text is 1.5 bits.

The unicity distance of a cryptosystem is the minimum length of the cryptotext required by a computationally unlimited adversary to recover the unique encryption key.

Empirical evidence indicates that if a simple cryptosystem is applied to a meaningful English message, then about 25 cryptotext characters are enough for an experienced cryptanalyst to recover the plaintext.

ANAGRAMS – EXAMPLES

German:

IRI BRÄTER, GENF	Briefträgerin
FRANK PEKL, REGEN	...
PEER ASSSTIL, MELK	...
INGO DILMR, PEINE	...
EMIL REST, GERA	...
KARL SORDORT, PEINE	...

English:

algorithms	logarithms
antagonist	stagnation
compressed	decompress
coordinate	decoration
creativity	reactivity
deductions	discounted
descriptor	predictors
impression	permission
introduces	reductions
procedures	reproduces

APPENDIX I

- In the middle age, messages were mostly encrypted with "code books" (**codebooks**).
- In this set-up communicating parties, say Alice and Bob, share some secret information, called the codebook.
- This code-book can be a simple letter-to-letter substitution or a more complex word-by-word substitution.
- Sender encrypts her message using secret codebook and receiver uses the same codebook to decrypt the encrypted message.
- An eavesdropper cannot, in theory, decrypt the message because she does not possess the secret codebook.
- More modern term for "codebook" is the "key".
- Till recently it was assumed that secret codebooks are necessary for secret communication.

NOMENCLATORS

- Nomenclators were in use from the end of 14th century for 450 years.
- Nomenclators combined a substitution cryptosystem (in which symbols were replaced by numbers) with codebook ciphers in which words were replaced by numbers.
- At the beginning codebook had codes only for names of people (therefore such a name - nomenclators), later codes were used also for names of places and so on.
- Some nomenclators had huge codebooks, up to 50 000 entries.
- Famous was the nomenclator designed by very famous French cryptologist Rosignol, for Ludvig XIV, that was not broken for several hundred of years.
- It was the design of the telegraph and the need for *field ciphers* to be used in combat that ended the massive use of nomenclators and started a new history of cryptography dominated by polyalphabetic substitution cryptosystems.

APPENDIX II

STREAMS CRYPTOSYSTEMS

Two basic types of cryptosystems are:

- **Block cryptosystems** (Hill cryptosystem, . . .) – they are used to encrypt simultaneously blocks of plaintext.
- **Stream cryptosystems** (CAESAR, ONE-TIME PAD, . . .) – they encrypt plaintext letter by letter, or block by block, using an encryption that may vary during the encryption process.

Stream cryptosystems are **more appropriate in some applications** (telecommunication), usually are **simpler to implement** (also in hardware), **usually are faster** and **usually have no error propagation** (what is of importance when transmission errors are highly probable).

Two basic types of stream cryptosystems: **secret key cryptosystems** (ONE-TIME PAD) and **public-key cryptosystems** (Blum-Goldwasser)

BLOCK versus STREAM CRYPTOSYSTEMS

In **block cryptosystems** the same key is used to encrypt arbitrarily long plaintext – block by block - (after dividing each long plaintext w into a sequence of subplaintexts (blocks) $w_1 w_2 w_3 \dots$).

In **stream cryptosystems** each block is encrypted using a different key

- **The fixed key k is used to encrypt all blocks.** In such a case the resulting cryptotext has the form

$$c = c_1 c_2 c_3 \dots = e_k(w_1) e_k(w_2) e_k(w_3) \dots$$

- **A stream of keys is used to encrypt subplaintexts.** The basic idea is to generate a key-stream $K = k_1, k_2, k_3, \dots$ and then to compute the cryptotext as follows

$$c = c_1 c_2 c_3 \dots = e_{k_1}(w_1) e_{k_2}(w_2) e_{k_3}(w_3) \dots$$

Various techniques are used to compute a sequence of keys. For example, given a key k

$$k_i = f_i(k, k_1, k_2, \dots, k_{i-1})$$

In such a case encryption and decryption processes generate the following sequences:

Encryption: To encrypt the plaintext $w_1 w_2 w_3 \dots$ the sequence

$$k_1, c_1, k_2, c_2, k_3, c_3, \dots$$

of keys and sub-cryptotexts is computed.

Decryption: To decrypt the cryptotext $c_1 c_2 c_3 \dots$ the sequence

$$k_1, w_1, k_2, w_2, k_3, w_3, \dots$$

of keys and subplaintexts is computed.

EXAMPLES

A keystream is called **synchronous** if it is independent of the plaintext.

KEYWORD VIGENERE cryptosystem can be seen as an example of a synchronous keystream cryptosystem.

Another type of the binary keystream cryptosystem is specified by an initial sequence of keys $k_1, k_2, k_3 \dots k_m$

and an initial sequence of binary constants $b_1, b_2, b_3 \dots b_{m-1}$

and the remaining keys are computed using the rule

$$k_{i+m} = \sum_{j=0}^{m-1} b_j k_{i+j} \text{ mod } 2$$

A keystream is called **periodic** with period p if $k_{i+p} = k_i$ for all i .

Example Let the keystream be generated by the rule

$$k_{i+4} = k_i \oplus k_{i+1}$$

If the initial sequence of keys is $(1,0,0,0)$, then we get the following keystream:

$$1,0,0,0,1,0,0,1,1,0,1,0,1,1,1, \dots$$

of period 15.

PERFECT SECRECY - BASIC CONCEPTS

Let \mathbf{P} , \mathbf{K} and \mathbf{C} be sets of plaintexts, keys and cryptotexts.

Let $p_K(k)$ be the probability that the key k is chosen from \mathbf{K} and let a priori probability that plaintext w is chosen be $p_P(w)$.

If for a key $k \in \mathbf{K}$, $C(k) = \{e_k(w) | w \in \mathbf{P}\}$, then for the probability $P_C(y)$ that c is the cryptotext that is transmitted it holds

$$p_c(c) = \sum_{\{k|c \in C(k)\}} p_K(k) p_P(d_k(c)).$$

For the conditional probability $p_c(c|w)$ that c is the cryptotext if w is the plaintext it holds

$$p_c(c|w) = \sum_{\{k|w=d_k(c)\}} p_K(k).$$

Using Bayes' conditional probability formula $p(y)p(x|y) = p(x)p(y|x)$ we get for probability $p_P(w|c)$ that w is the plaintext if c is the cryptotext the expression

$$p_P(w|c) = \frac{p_P(w) \sum_{\{k|w=d_k(c)\}} p_K(k)}{\sum_{\{k|c \in C(k)\}} p_K(k) p_P(d_k(c))}.$$

PERFECT SECRECY - BASIC RESULTS

Definition A cryptosystem has perfect secrecy if

$$p_P(w|c) = p_P(w) \text{ for all } w \in P \text{ and } c \in C.$$

(That is, the a posterior probability that the plaintext is w , given that the cryptotext is c is obtained, is the same as a priori probability that the plaintext is w .)

Example CAESAR cryptosystem has perfect secrecy if any of the 26 keys is used with the same probability to encode any symbol of the plaintext.

Proof Exercise.

An analysis of perfect secrecy: The condition $p_P(w|c) = p_P(w)$ is for all $w \in P$ and $c \in C$ equivalent to the condition $p_C(c|w) = p_C(c)$.

Let us now assume that $p_C(c) > 0$ for all $c \in C$.

Fix $w \in P$. For each $c \in C$ we have $p_C(c|w) = p_C(c) > 0$. Hence, for each $c \in C$ there must exist at least one key k such that $e_k(w) = c$. Consequently, $|K| \geq |C| \geq |P|$.

In a special case $|K| = |C| = |P|$, the following nice characterization of the perfect secrecy can be obtained:

Theorem A cryptosystem in which $|P| = |K| = |C|$ provides perfect secrecy if and only if every key is used with the same probability and for every $w \in P$ and every $c \in C$ there is a unique key k such that $e_k(w) = c$.

Proof Exercise.

PRODUCT CRYPTOSYSTEMS

A cryptosystem $S = (P, K, C, e, d)$ with the sets of plaintexts P , keys K and cryptotexts C and encryption (decryption) algorithms $e(d)$ is called **endomorphich** if $P = C$.

If $S_1 = (P, K_1, P, e^{(1)}, d^{(1)})$ and $S_2 = (P, K_2, P, e^{(2)}, d^{(2)})$ are endomorphic cryptosystems, then the **product cryptosystem** is

$$S_1 \otimes S_2 = (P, K_1 \otimes K_2, P, e, d),$$

where encryption is performed by the procedure

$$e_{(k_1, k_2)}(w) = e_{k_2}(e_{k_1}(w))$$

and decryption by the procedure

$$d_{(k_1, k_2)}(c) = d_{k_1}(d_{k_2}(c)).$$

Example (Multiplicative cryptosystem):

Encryption: $e_a(w) = aw \bmod p$; **decryption:** $d_a(c) = a^{-1}c \bmod 26$.

If M denote the multiplicative cryptosystem, then clearly CAESAR \times M is actually the AFFINE cryptosystem.

Exercise Show that also $M \otimes$ CAESAR is actually the AFFINE cryptosystem.

Two cryptosystems S_1 and S_2 are called **commutative** if $S_1 \otimes S_2 = S_2 \otimes S_1$.

A cryptosystem S is called **idempotent** if $S \otimes S = S$.

APPENDIX III

- It is common to assume that English alphabet has 26 letters when CAESAR cryptosystems is described.
- This is misleading in the sense that at CAESAR time alphabet had only 21 symbols.
 - Letters "X" and "Z" were foreign characters, used in order to transcript Greek words;
 - Letters "I" and "J" were the same one – "I".
 - Letters "U" and "V" were also the same – "V"
 - Letter "W" did not exist.
- CAESAR cryptosystem is a special case of the AFFINE cryptosystem.

- After great success of cryptography in second World war, cryptography products were considered as war weapons and regulated as such.
- Import-export organisations, salesmen, developers, researchers and publishers were controlled by government agencies in many countries.
- Switzerland was one of the only cryptographic paradise when one could freely set up mirror companies for cryptographic products