	CHAPTER 14: MACHINES and HISTORY of CRYPTOGRAPHY
Part I History and machines of cryptography	MACHINES and HISTORY of CRYPTOGRAPHY
	IV054 1. History and machines of cryptography 2/78
PROLOGUE	WHAT to VALUE MORE
PROLOGUE	 As information becomes an increasingly valuable commodity, the encryption is the only way to protect our privacy and guarantee the success of the e-business. Some groups, for example businessmen and civil libertarians, require strong cryptography. The forces of law and order are pressing governments to restrict the use of cryptography. What to value more? Personal freedom? or the order and law?

IV054 1. History and machines of cryptography

4/78

WHO are CODEBREAKERS	PERIODS of the HISTORY of CRYPTOGRAPHY
 The vision of codebreakers has changed through the history, depending on the tools used for encryption and cryptanalysis. Before computer era views; Codebreakers or cryptanalysts are linguistic alchemists, a mystical tribe attempting to conjure sensible words out of meaningless symbols. Current view: Codebreakers and cryptanalyst's are artists that can superbly use modern mathematics, informatics and computing super-technology. Three views of the history First World War was the war of chemists (deadly gases). Second World War was the war of physicists (atomic bombs) Third World War would be the war of informaticians (cryptographers and cryptanalysts). 	 Prehistory - before nontrivial machines period: till about 1930 - no electrical machines period. Examples: Caesar, Vigenere, codebooks, nomenclators; Hill cryptosystems Examples: Frequency analysis Period of powerful mechanical machines for encryption: 1930-45 period Coming of nontrivial mechanical machines for encryption - ENIGMA (German), LORENZ (Germany),SIGABA (US), ULTRA (UK), PURPLE (Japan), during 2WW Electrical (super)computers period: Since 1944: Big points: Collosus; powerful machines for encryption and decryption;big data and powerful internet communication encryption; public-key cryptography, Examples: DES, RSA, AES, Quantum cryptography period: BB84, B92, E91 Security is based on impossibility to break physical world laws. BB84,
IV054 1. History and machines of cryptography 5/78	IV054 1. History and machines of cryptography 6/78
HISTORY of CRYPTOGRAPHY - SUMMARY	FROM VERY EARLY HISTORY of CRYPTOGRAPHY
The history of cryptography has been the story of centuries-old battles between codemakers and codebreakers, an intellectual arms race that has had a dramatic impact on the course of history. It has been the ongoing battle between codemakers and codebreakers has inspired a whole series of remarkable scientific breakthroughs. History is full of codes. They have decided the outcomes of battles and led to the deaths of kings and queens.	 At the beginning of 4-th century BC, Kautylia in India wrote a book. Arthasastrta, that contains suggestions for diplomat to use cryptanalysis to obtain secret information about trades. Kamasutra (4-th/5-th century AD) lists cryptography as the 44-th and 45-th of 64 arts people should use. In 1474 Citto Simonetta wrote, in Pavia, the first book devoted solely to cryptography. In 1555 Pope established a Cipher Secretary of Pontiff. Around 1585 Matteo Argenti wrote a 135-pages book on cryptography that is considered as the highlight of the renaissance cryptography.

POLYALPHABETIC CRYPTOSYSTEMS	CODEBOOKS CRYPTOGRAPHY
 Such cryptosystem was first clearly explained by Leon Batista Alberti around 1467. The French cryptographer Blaise de Vigenere devised a practical polyalphabetic cryptosystem which bears now his name. Such cryptosystems were not much used for 200 years because they were considered too complicated. A method to break polyalphabetic cryptosystems developed at first Charles Babbage during the Crimean war. The method was redeveloped and published later by Prussian Friedrich Kassiski. 	 In the middle age, messages were mostly encrypted with "codebooks." In this set-up, the communicating parties, say Alice and Bob, shared some secret information, called the codebook. Such a codebook can be a simple letter-to-letter substitution or a more complex word-by-word substitution. Communication: A sender encrypts her message using a secret codebook and the receiver uses the same codebook to decrypt the encrypted message. An eavesdropper cannot, in theory, decrypt the message because she does not posses the secret codebook. A more modern term for "codebook" is the "key". Codebooks were intensively used during the first World War. Some had up 100, 000 encoding rules. The fact that Allies were able to obtained huge codebooks from several destroyed war ships helped them much. Till recently it was assumed that secret codebooks are necessary for secret communication.
IV054 1. History and machines of cryptography 9/78	IV054 1. History and machines of cryptography 10/78
NOMENCLATORS	OLD GOLDEN TIMES of CRYPTOGRAPHY
 Nomenclators were in the use from the end of 14th century for 450 years. Nomenclators combined a substitution cryptosystem (in which symbols were replaced by numbers) with codebook ciphers in which words were replaced by numbers. At the beginning codebooks had codes only for names of people (therefore such a name - nomenclators), later codes were used also for names of places and so on. Some nomenclators were huge, up to 50 000 entries. Famous was the nomenclator designed by famous French cryptologist Rosignol, for Ludvig XIV, that was not broken for several hundred years. 	 Golden times of Islamic culture was from 9th till 12th century. At that time the Islamic culture had very efficient administration that relied on secure communication through encryption. (For example tax records were protected by encryption.) By the fourteenth century the use of cryptography had become widespread, with alchemists and scientists

It was the design of the telegraph and the need for *field ciphers* to be used in combat that ended the massive use of nomenclators and started a new history of cryptography dominated by polyalphabetic substitution cryptosystems.

By the fifteenth century, European cryptography was a burgeoning industry.

For example, each ambassador of (many) of the Italian states had a crypto-secretary.

11/78

EXAMPLES of "UNBREAKABLE CODES"	BEALE CODE
 GREAT CIPHER of LOUIS XIV (created around 1630) was used to encrypt letters of Louis XIV. GREAT CIPHER was broken around 1890 by Bzeries. BEALE CODE, published in 1885, should contain encryption of the place where a treasury worth of 20 million of dolars is hidden. 	 In 1885 a paper was made public that contains three pages of codes that should describe a place where a treasury has been hidden that is worth of 50 millions of dollars and what to do with it. Many people spent a lot of time, some their whole life, to decode it. One page was decoded using an article about American Independence. The key part, describing exactly the place the treasury was hidden has not been decrypted yet.
IV054 1. History and machines of cryptography 13/78	IV054 1. History and machines of cryptography 14/78
BEALE CODE - 1 PAGE	BLACK CHAMBERS
2 The Code Book Where, in the course of human events, it becomes ¹⁰ necessary for one people to diasolve the policitol bank which 20 have connected them with another, and to assume among the ³⁰ powers of the earth, the separate and equal station to 40 which the laws of nature and of natures	By 1700 cryptanalysis was industrialized, with teams of of cryptanalysts working in so called BLACK CHAMBERS established by most powerful governments. For example, BLACK CHAMBER in Vienna used to encrypt about 100 letters daily.

FAMOUS CRYPTOGRAPHERS of pre COMPUTER ERA	THOMAS JEFFERSON (1743-1826)
 Girolamo Cardano (1501-1576) - father of probability theory De la Bigotiere Viete (1540-1603) - father of modern algebra. Antoine Rosignol (known as Father of Cryptology for France) John Wallis (1616-1703) (known as Father of Cryptology for England) Thomas Jefferson (1743-1826) - known as Father of American Cryptography Charles Babbage (broke Vigenere cryptosystem - the inventor of the first universal computer). Allan Turing (helped to brake ENIGMA, designed BOMBS, developed a technique to determine positions of German submarines). John Nash (Nobel price for game theory and economics) 	 The first draftsman of the Declaration of Independence of the United States. The second vice-president of USA The third president of USA Inventor of cryptographic device called Wheel Cipher or Jefferson Wheel
IV054 1. History and machines of cryptography 17/78	IV054 1. History and machines of cryptography 18/78
IV054 1. History and machines of cryptography 17/78 FROM "BLACK MAGIC" to "SCIENCE" VIEW OF CRYPTOGRAPHY	IV054 1. History and machines of cryptography 18/78 CRYPTOGRAPHY in JAPAN
FROM "BLACK MAGIC" to "SCIENCE" VIEW OF	

HISTORY of CRYPTOGRAPHIC MACHINES	FIRST KNOWN DEVICES - SCYTALE
	Spartans used transposition cipher device called scytale . It was a wooden stick around which a strip of parchment (pergament), or leather or papyrus was spirally wrapped, layer upon layer. The plaintext was written on the parchment lengthwise down the staff. Then the parchment was unwrapped and sent. Text on parchment had no sense until it was re-wrapped around a stick of equal diameter. (One use of the scytale was documented to be used around 475 BC).
HISTORY of CRYPTOGRAPHIC MACHINES	A Scytale, an early device for encryption.
IV054 1. History and machines of cryptography 21/78	IV054 1. History and machines of cryptography 22/78
ENCRYPTION DISCS	JEFFERSON's WHEEL
<text><text><image/><text></text></text></text>	<page-header><page-header><text><text><text><text><text><text><text><text></text></text></text></text></text></text></text></text></page-header></page-header>

CRYPTOGRAPHY of the FIRST WORLD WAR	BEGINNING of FIRST WORLD WAR
CRYPTOGRAPHY of the FIRST WORLD WAR	The advent of radio and First World War intensified the need for effective encryptions. One of the most famous cryptosystems of the First World War was German ADFGVX cryptosystem (selected from a variety of candidates and considered to be unbreakable) introduced on March 5, 1918. By the beginning of June 1918, the German artillery was only 100 km from Paris. The only hope for allies was to break ADFGVX cryptosystem to find where Germans were planning to make their final attack. Georges Painvin cracked for the first time an ADFGVX message on June 2, 1918. It is estimated that French intercepted 100 million words of German communications during First World War.
IV054 1. History and machines of cryptography 25/78	IV054 1. History and machines of cryptography 26/78
ADFGVX CRYPTOSYSTEM	ROOM 40
 A combination of substitution and permutation cryptosystems on March 5, 1918, had to provide German army with unbreakable cryptosystem. Each key had two parts: A 6 × 6 blackboard filled with 26 letters and 10 digits. It was used for the first encoding similarly as at the Playright cryptosystem. A D F G V X A 8 p 3 d 1 n D i t 4 0 a h t 7 k b c 5 z plaintext attack at 10 pm G j u 6 w g m V x s v i r 2 is encrypted: DV DD DD DV FG FO DV DD AY XG X g e y 0 1 q AD GX A short permutation, say of m elements. It was used for writing first cryptotext into rows of length m, then permuting columns and writing final cryptotext row by row. M A R K D V D D V V D D D Q G F D Q D V Q D D V Q D D Q A X G V G A X A D G X 	 Room 40 was a section of British Admiralty with task to decrypt German messages. Room 40 was formed in October 1914 and deactivated in 1919. It is expected that they decrypted about 15 000 German messages. Their success was to a large part due to the fact that several German codebooks could be obtained from destroyed ships. On August 26, 1914 Russians seized from German cruiser Magdeburg the German naval codebook SKM Signalbuch der Kaiserlichen Marine and gave one copy to British. Codebook had 34 000 instructions for coding and decoding. On October 11, 1914 British captured from the German warships, zeppelins and U-boats. HVB code used 450 000 possible four letter groups which allowed alternative representations of the same meaning, plus an alternate 10 letter grouping for use in cables. On November 30 British recovered from the sunken German destroyer S-119 Verkehrsbuch (VB) - the code used to communicate with embassies and warships The code consisted of 100 000 groups of 5 digit numbers each with a particular meaning. Several other codebooks were captured in years 1918-1919.
First important ADFGVA message was cracked by French G. Painvin, on June 2, 1918.	

ZIMMERMAN TELEGRAM - STORY

<page-header><page-header><page-header></page-header></page-header></page-header>	 The most important contribution of Room 40 was decryption of so called "Zimmerman telegram." It was a telegram sent on January 17, 2017 from the German Foreign Office via Washington to its ambassador in Mexico. In the telegram German Foreign Minister Arthur Zimmerman offered to Mexico United States territories of Arizona, New Mexico, and Texas as an enticement to join the war as a German ally. Motto of telegram was "Make war together and then make peace together". Germans also promised Mexico "Generous financial support". This telegram convinced president Roosevelt, who believed in negotiations with Germany, that it is necessary to declare the war to Germany, what then happened on 6 April 1917. Mexican president did not accept German's proposal because he consider their claim about financial support as empty and a war with very strong US as very dangerous for Mexico.
CRYPTOGRAPHY of the SECOND WORLD WAR	BATTLE OF ATLANTIC -I
CRYPTOGRAPHY of the SECOND WORLD WAR	 For allies it was of the key importance during WW2 to achieve that Germans do not conquer UK. UK was not able to fight against Germans without a very intensive help of USA and Canada, concerning food and arms. Britain required more than a million of tons of imported material per week in order to be able to survive. Canada and US tried to help UK by sending supplies using convoys of ships. Germans tried to destroy convoys by their submarines (U-boats). Each convoy consisted of between 30 to 70 merchant ships and none or several protecting warships. Once a U-boat discovered a convoy informed other U-boats and then they gathered and made a surprising and coordinated attack. Between June 1940 and June 1941 Allies lost an average 50 big ships each month and about 50 000 seamen died during that period.

32/78


IV054 1. History and machines of cryptography

31/78

BATTLE OF ATLANTIC -II


BATTLE of ATLANTIC - SUMMARY


In 1918 Arthur Scherbius invented an encryption machine, called ENIGMA, that played an enormous role in the World War Two. Main components of the Enigma cryptomachine: ■ Keyboard ■ n scramblers (rotors), n ≥ 3. At each position a scrambler could implement a CAESAR cryptosystem. After encoding one letter it moved one position. After making full completion, next scrambler was moved one position.	 Germans were able to discover convoys also because they were also able to decrypt convoys' radio communication. German U-boats were able to sink in total 2780 supply ships from USA and Canada. To make convoys with supply ships to get safely to England it was very important to find out where U-boats were. It was of key importance for Allies to break communication code of U-boats created by special navy Enigma machines. During the period September 1941 and September 1845 US built 2710 big identical supply ships called "Liberty ships". In spite of all these enormous loses about 99% of all ships sailing to and from the British Isles did so safely. 	 Allies lost 72,000 men, Germans 30,000 Allies lost 3,500 of merchant vessels and 175 warships; German lost 783 submarines Liberty ships carried 38.5 millions of tons; German were able to sink liberty ships with 14 millions of tons of goods. In the battle of Atlantic situation kept changing constantly, with one side or the other gaining advantage, as new weapons, tactics, counter-measures, and equipment were developed on both sides. The battle of Atlantic was finally won by Allies in two months, mainly by a sudden convergence of technologies. The battle of Atlantic lasted 5 years, 8 months and 5 days.
 ■ Reflector - to allow to use the same technique for encryption and description. ■ Plugboard - to realize several transpositions of letters ■ Lampboard Number of keys with three scramblers: ■ Scramblers orientations 26³ settings. ■ Scrambler arrangements 3! = 6 ■ Plugboard settings: 100 391 791 500 Total number of keys is ≈ 10¹⁶. About 30 000 Enigma machines have been produced. 		 In 1918 Arthur Scherbius invented an encryption machine, called ENIGMA, that played an enormous role in the World War Two. Main components of the Enigma cryptomachine: Keyboard <i>n</i> scramblers (rotors), n ≥ 3. At each position a scrambler could implement a CAESAR cryptosystem. After encoding one letter it moved one position. After making full completion, next scrambler was moved one position. Reflector - to allow to use the same technique for encryption and description. Plugboard – to realize several transpositions of letters Lampboard Number of keys with three scramblers: Scrambler arrangements 3! = 6 Plugboard settings: 100 391 791 500 Total number of keys is ≈ 10¹⁶.



IMPACTS of two SCRAMBLERS

The following picture shows how two moving scramblers cause that the same letter - "B" in this time - may be differently encoded if it is several times encoded.






39/78

ENIGMA STRUCTURE in case of THREE SCRAMBLERS

The following picture shows basic structure of ENIGMA with lampboard, keyboard, plugboard, three scramblers and reflector.



CRACKING of ENIGMA	DAY-KEYS versus MESSAGE-KEYS I
 Of up most importance for the victory of Allies in the Second World War was the fact that they were able to break ENIGMA. © On November 8, 1931 German Hans-Thilo Schmidt handed to French documents allowing to deduce wirings inside the scramblers. Rejewski in Warsaw was able to design methodology and technology to break first ENIGMA using handed documents and a clever idea how to make use of the fact that in addition to having a day-key each message encrypting process started with sending a 3-letter message key encrypted using twice the day-key. Alan Turing anticipated that Germans will stop using old message keys and developed method and technology (BOMBS) to make encryptions. One of the key point was clever using of cribs – clever guesses that some words were parts of the message (for example WETTER). Allies were able to get (from destroyed submarines and ships) some codebooks. 	 Day-key components: Plugboard setting: A-L, P-R, T-D, B-W, K-F, D-Y Scrambler orientation: Q - C - W Scramblers ordering: 2 - 3 - 1 Day-keys were distributed for the whole month. A day-key was used only to encode, TWICE, randomly chosen message keys - scramblers orientation Example: PGHPGH -> KIVBJE Message key PGH is encoded as KIVBJE
IV054 1. History and machines of cryptography 41/78	IV054 1. History and machines of cryptography 42/78
CRACKING ENIGMA – BASIC INSIGHT	DAY-KEYS versus MESSAGE-KEYS II
Rajewski observed that dependencies between letters caused at the encryption of message-keys using a day-key form cycles and their number and length depends only on the scramblers settings. Example: Ist message L O K R G M 2nd message M V T X Z E 3rd message J K T M P E 4th message D V Y P S X Cycles $A \rightarrow F \rightarrow W \rightarrow A$ $B \rightarrow Q \rightarrow Z \rightarrow K \rightarrow V \rightarrow E \rightarrow L \rightarrow R \rightarrow I \rightarrow B$ $C \rightarrow H \rightarrow G \rightarrow O \rightarrow Y \rightarrow D \rightarrow P \rightarrow C$ $J \rightarrow M \rightarrow X \rightarrow S \rightarrow T \rightarrow N \rightarrow U \rightarrow J$ Within one year Rajewski's group created a catalogue of cycles lengths for all 105 456 possible scrambler settings. Afterwards, each morning they first determined cycles imposed by the that day setting of scramblers (what took few hours), then found in catalogue the proper scramblers setting and then they could easily decrypt messages of that day. Later they mechanized this decryption process using machines called <i>bombs</i> .	 Rajewski enormously simplified the task of finding the day-key by separating the problem of finding the scrambler setting from the problem of finding the plugboard setting. Finding the plugboard setting was relatively easy task because meaningful German messages were encrypted. To find the plugboard setting Rajewski did first decoding without paying any attention to plugboard connections. Example if the cryptotext was decrypted as <i>alliveinBerlin</i> this suggested that the transposition LR was used.

IV054 1. History and machines of cryptography

44/78

NAVAL ENIGMA	THE STORY of BLETCHEY PARK
<list-item><list-item><list-item><list-item><list-item><list-item><list-item><table-row><table-row><table-row></table-row></table-row><table-row><table-row></table-row></table-row></table-row></list-item></list-item></list-item></list-item></list-item></list-item></list-item>	STORY of BLETCHEY PARK
BLETCHEY PARK - I.	BLETCHEY PARK - II.
 The key role in breaking ENIGMA-codes during the Second World War played the team of codebreakers at <i>Bletchey Park</i> in England. Bletchey Park is an estate in the town Bletchey, near railway station of Oxford-Cambridge railway line. 	 During the Second World War, Bletchey Park was the site of UK main decryption establishment, the Government Code and Cipher School (GC& CS). First people of GCCS moved to on August 15, 1939. Up to 9,000 people worked finally in the Bletchey Park. In total over 12,000 people



IV054 1. History and machines of cryptography

People worked in Bletchey Park in three shifts over 24 hours.

worked in Bletchey Park (80% women).

- Team of top codebreakers consisted of people of various professions. To hire new people an ability to solve a crossword from Daily telegraph under 12 minutes was once used to test applicants.
- Work of people in Bletchey Park was kept secret till 1974. Some people still regard themselves bound to remain silent.
- The most difficult problem and most important task was to break navy ENIGMA. (In 1940 and 1941 Allies used to lose about 50 ships per moths that were sink by German submarines.)
- Sophisticated techniques were used to make sure that Germans do not realize that their "unbreakable ENIGMA" was broken.
- Main techniques used were: brains, technology, intelligence, luck.

Cottage where early work on decoding ENIGMA was performed. The windows on the top open to Turing's room.



Hut 1, bellow, was the first one to be constructed.



IV054 1. History and machines of cryptograph

- Main German encryption systems ENIGMA and LORENZ were virtually unbreakable if properly used.
- It was poor operational procedures and sloppy operator behaviours that allowed the GX&CS cryptanalysts to find ways to read them.
- Main problem for Bletchey Park codebreakers came when German introduced four-rotor ENIGMA. This change stopped their ability to decode German messages from February to December, 1942.
- Prior to the Normandy landings on the D-Day in June 1944, the Allies knew locations of all but two of the German 58 divisions on the Western front.

CRIBS

Combination of three basic cryptographic discoveries/techniques were behind main successes of British crypto-analysis during WW2.

- Discovery of cribs in encrypted messages what was an art that allowed dramatically to reduce the number of potential day keys that needed to be explored. (A crib is a guessed encryption of some frequently used word as Wetter.)
- Discovery that one can separate encryptions due to scramblers from description caused by transposition of letters due to plugboard again helped dramatically to reduce number of potential keys that needed to be explored.
- Design of special key testing machines, called bombs, suggested by Turing, allowed to check fast, in few hours, a huge number of potential keys. At the end of war 44 Bombs were in operation.

Success of WW2 cryptanalysis was therefore due to a proper combination of art, science and technology.

INTELLIGENCE REPORTING

There was ever-present enormous danger that some ill-considered military or other actions by the Allies might alert the enemy to the possibility that their codes were broken.

IV054 1. History and machines of cryptography

- Had this happened the enemy would undoubtedly introduced changes in its encryption policy/equipment.
- Such changes could have enormous impacts on decryption capabilities.
- For that reason there was a separation between groups doing decryption and groups sending out intelligence received from messages.

51/78

49/78

IV054 1. History and machines of cryptography

TURING'S ROLE in BLETCHEY PARK

BOMBS - PHOTO FROM WAR TIMES

- In Bletchey Park Turing first helped to refine design of the code breaking machines called Bombes. First such machine worked in the Bletchey Park in March 1940.
- It took 18 minutes to test all possible wheel settings of ENIGMA that was used for a particular encoding.
- Later Turing developed a much labor intensive method based on Bayesian approach how to reduce burden of Bombes.
- The idea was to use "cribs" likely encodings of known words. They had a catalogue of 17,000 ways "ein" could be encrypted.
- Turing's group started to break naval ENIGMA on 27.5.1941, exactly in day where British succeeded to sank the largest German battleship. Next 23 days no supply ship was destroyed.
- Germans then added one scrambler to ENIGMA and for four months British were not able to decrypt their messages. In August and Septemeber 1942 German were able to sink 47 ships.
- In order to quantify quality of guesses he developed a measure of it called "ban" and defined it as the smallest change in weight of evidence that is directly perceptible to human intuition. One ban represented odds of 10 to 1 in favour of a guess. Normally Turing worked also with decibans and centibans - smaller units.


IV054 1. History and machines of cryptography

BOMBS - RECONSTRUCTION - VIEW FROM BACK

LORENZ SZ40 and COLOSSUS


53/78

The back of the rebuilt **Bombe**.



LORENZ SZ40 and COLOSSUS

IV054 1. History and machines of cryptography



LORENZ SZ40

Lorenz SZ40 was an electromechanical encryption machine, far more complicated than Enigma that was used to encrypt telegraphic messages between German High Command and their army commands in Europe.



LORENZ SZ40 I

57/78

59/78

- To encrypt a message with Lorenz, the 5-bit plaintext symbols were combined with a stream of key characters.
- The keystream was generated using 12 pinwheels:



DECRYPTION of LORENZ CIPHER

- Bill Tutte developed so called double-delta method to find wheel start positions of Lorenz when producing encryption of some message..
- Tutte's method was, however, much too much computationally demanding.
- Mathematician Max Newman came with idea how to automate some parts of the process for finding the settings used for each message.
- Based on Newmann's idea a machine was built and named Heath Robinson.
- Main difficulty with using this machine was that two paper tapes had to be kept in synchrony at 1,000 characters per second.

IV054 1. History and machines of cryptography

COLLOSUS TECHNICAL DETAILS

Colossus was the world's first electronic, digital, fixed-program, single purpose computer with variable coefficients.

IV054 1. History and machines of cryptography

- Colossus used vacuum tubes to perform Boolean operations and calculations.
- Colossus was used in Bletchey Park during WW2 to help in the cryptanalysis of the Lorenz cipher.
- Colossus was used to find possible Lorenz key settings rather than to decrypt particular cryptotexts.
- The cryptotext was read at the high speed from a paper tape and the other stream was generated internally as a simulation of outcomes of the Lorenz machine
- If the count for the setting was above a certain threshold it would be sent as an output to an electric typewriter.

COLOSSUS - PREHISTORY

COLOSSUS - DECRYPTION of LORENZ


 The logical structure of the Lorenz machine was diagnosed at the Bletchey Park without the machine being seen.!!!!!!! First John Tiltman, a very clever cryptanalyst, derived a key stream of 4000 symbols from a German operating blunder (mistake) in August 1941. Bill Tute, a newly arrived member of the cryptanalysts team, used this key stream to work out the logical structure of the Lorenz machine. Tute determined that Lorenz had 12 wheels in two groups of five, called <i>χ</i>=wheels and <i>ψ</i>-wheels and 2 special <i>μ</i>-wheels. The <i>χ</i> wheels stepped regularly with each symbol that was encrypted; <i>ψ</i> wheels stepped irregularly; under the control of motor wheels <i>μ</i>. 	 In order to read a message two tasks had to be performed. Wheel breaking - to discover pin patterns for χ wheels. Once the patterns were set up they were used for a while. Wheel setting that could be attempted once pin patterns are known. Each message encrypted with Lorenz was encrypted with a different start position of the wheels. Tute discovered, on the basis of the fact that different letters have difference occurence statistic, that trying two impulses of the χ-stream against the cryptotext would produce a statistic that was not random. The process of <i>wheel setting</i> found the start position for a message. Initially Colosus was used to work out the start positions of χ wheels, but later also to determine the wheel breaking.
IV054 1. History and machines of cryptography 61/78	IV054 1. History and machines of cryptography 62/78

63/78

DESIGN of COLOSSUS

- Tommy Flowers, a senior researcher at the Post Office's Research Centre, suggested to design a better machine, called **Colossus**, with 1500 electronic valves on to do the job, but his proposal was rejected by Max Newman, head of Section, because the idea that so many electronic valves could work reliably was considered as unrealistic and more "Heah Robinson machines" were ordered..
- However, Flowers got some support elsewhere and work on it in Post Office Laboratory.
- On December 8, 1943 Colossus Mark 1, with 150 valves, was working and was operational in Bletchey Park on February 5, 1944.
- An improved version, 5 times faster with 2400 valves, called Colossus Mark 2 first worked on 1 June 1944, just in time for Normandy landing. (ENIAC had 17, 468 valves)
- Ten Colossus computers were in use by the end of the war.
- Programming of Colossus was achieved by a combination of telephone jack-plugs, cords and switches.
- After the WW2 Colossus computers were destroyed, at the order from Churchill. Moreover, Tommy Flowers was ordered to destroy also blueprints of Colossus and he did so on 8 June 1945 (!?!?!?!?!?!)

COLOSSUS PHOTO



IV054 1. History and machines of cryptography

COLOSSUS PHOTO from BACK	COLOSSUS - DETAILS
<image/>	 Each of ten Colossi was 2.3 m high, about 14 m long and occupied one room. Colossus reduced the time to break Lorenz messages from weeks to hours. Colossus was built just in time for the deciphering of messages which gave vital information prior to D-Day of 2WW. They showed that Hitler swallowed the deception campaign about the area of landing of Allies. By the end of 2WW 63 millions of characters of top secret German messages were decrypted In 1994 attempts started to redesign Colossus for a museum. A functioning replica was completed in 2007 and is on display at the National museum of computing
COLOSSUS - COMMENTS	STORY of ENCRYPTION MACHINES
 Collosus was not "Turing complete" - it was not a general purpose (universal) computer. At that time it was not realized that "Turing completeness" is of large importance. To set up Colossus for a new task the operators had to set up plugs and switches to alter wiring. 	 British were able to break ENIGMA only because it was used with various unproper restrictions and because it was used for stereotypical messages that resulted in "cribs". US crypto analysts were also successful in breaking Japanese encryption machine called Purple. On the other hand, encryption machines "Typex" used by British army and air force, and machine SIGABA used by US army have never been broken during second world war. However, all these machines could not really been used in such fighting as on Pacific islands in jungles. A new ingenious idea was to use Navajo Indians for communication because no Japanese could understand it.

IV054 1. History and machines of cryptography

NAVAJO CODE	Story of RSA
<list-item><list-item><list-item><list-item></list-item></list-item></list-item></list-item>	STORY of RSA
IV054 1. History and machines of cryptography 69/78 HISTORY of RSA	IV054 1. History and machines of cryptography 70/78 HISTORY of RSA REVISITED 70/78
 Diffie published his idea of asymmetric cryptosystem in summer 1975, though he had no example of such a cryptosystem. The problem was to find a one-way function with a backdoor. Rivest, Shamir and Adleman, from MIT, started to work on this problem in 1976. Rivest and Shamir spent a year coming up with new ideas and Adleman spent a year shooting them down. In April 1977 they spent a holiday evening drinking quite a bit of wine. At night Rivest could not sleep, mediated and all of sudden got an idea. In the morning the paper about RSA was practically written down. 	 Around 1960 British military people started to worry about the key distribution problem. At the beginning of 1969 James Ellis from secrete Government Communications Headquarters (GCHQ) was asked to look into the problem. By the end of 1969 Ellis discovered the basic idea of public key cryptography. For next three years best minds of GCHQ tried to unsuccessfully find a suitable trapdoor function necessary for useful public-key cryptography. In September 1973 a new member of the team, Clifford Cock, who graduated in number theory from Cambridge, was told about problem and solved it in few hours. By that all main aspects of public-key cryptography were discovered. This discovery was, however, too early and GCHQ kept it secret and they disclosed their discovery only after RSA has been shown very successful.

ATTACKS on RSA	PRETTY GOOD PRIVACY
 RSA can be seen as absolutely secure. However, this does not mean that under special circumstances some special attacks can not be successful. Two of such attacks are: ■ The first attack succeeds in case the decryption exponent is not large enough. Theorem (Wiener, 1990) Let n = pq, where p and q are primes such that q 1/₃n^{1/4}. then there is an efficient procedure for computing d. ■ Timing attack P. Kocher (1995) showed that it is possible to discover the decryption exponent by carefully counting the computation times for a series of decryptions. Basic idea: Suppose that Eve is able to observes times Bob needs to decryption, it is possible to determine decryption exponent. 	 In 1991 Phill Zimmerman developed and released PGP (Pretty Good Privacy) and by that he made use of the RSA cryptosystem very friendly and easy and, consequently, by that he made strong cryptography widely available. Starting February 1993 Zimmerman was for three years a subject of FBI and Grand Jury investigations, being accused of illegal exporting arms (strong cryptography tools). William Cowell, Deputy Director of NSA said: "If all personal computers in the world – approximately 200 millions – were to be put to work on a single PGP encrypted message, it would take an average an estimated 12 million times the age of universe to break a single message". Heated discussion whether strong cryptography should be allowed keep going on. September 11 attack brought another dimension into the problem. Even in 2004 former FBI director in his Congress inquiry asked for a new law against public use of encryptions.
IV054 1. History and machines of cryptography 73/78 HISTORY of QUANTUM CRYPTOGRAPHY	IV054 1. History and machines of cryptography 74/78 EPILOGUE
 Around 1970 Stephen J. Wiesner developed, but did not published, the concept of quantum secret money. In 1984 Charles Bennett and Gilles Brassard published BB84 protocol. In 1989 Bennett at all made first cryptography experiment with photon transmission of photons at the distance 32 cm In 1990 unconditional security of the BB84 protocol has been shown. In 1991 Eckert published his entanglement based protocol E91 for unconditionally secure generation of classical shared key, In 1993 Bennett et al. developed the protocol for quantum teleportation. In 1995 quantum key generation using optical cable for distance 22.5 km was demonstrated In 1997 it was shown that unconditionally secure quantum bit commitment is impossible. 	EPILOGUE
 In 1998 quantum teleportation was experimentally confirmed. In 2004 an open air absolutely secure photon transmission for the distance 27 km was shown, from one Alp's peak to another. In 2008 an open air absolutely secure photon transmission was demonstrated for distance 147km on Canary Islands. 	

- Military success of Allies during World War II was partly due to great outcomes of cryptanalysts.
- Because of that cryptography was highly estimated during the Cold War and cryptography was considered as a war weapon in many countries, especially in USA. As a consequence cryptography production, products, use and export were regulated in the corresponding way as for other arms.

IV054 1. History and machines of cryptography

77/78

- Very secure systems are rarely used in a massive way in practice due to the efficiency problems.
- Cryptographic systems that are used in practice look pretty safe when they are introduced. However, after few years they are usually shown not to be safe anymore.
- Because of that, it has not much sense to teach about current standards they will likely be replaced by new ones in few years.
- Beautiful and deep mathematics is usually needed to create safe cryptographic systems - any tools that work are fine for breaking cryptosystems.

IV054 1. History and machines of cryptography