

## Subject Index

- ACCENT 237
- ACF 184
- acoustic
  - cues 421
  - distortion 251
  - features 314
  - model 262
  - properties of syllables 229
  - recognition 237
  - variability 301
- acoustic-prosodic boundaries 166
- action units 328
- adaptive dialogue system 433
- AFA 46
- aggregation 87
- AGILE 89
- ajka 157
- algorithm
  - DTW 201
  - ECGI 15
  - expectation maximisation 315
  - genetic 301
  - longest-matching 122
  - naïve Bayes 151
  - pitch-mark detection 224
  - PSOLA 223, 228
  - sense disambiguation 11
  - Viterbi 217
- Alparon 333
- ambiguity
  - casual (lexical) 5
  - lexical 400
  - of prepositional groups 139
  - of reference 400
  - referential 357
  - regular (paradigm-internal) 5
  - structural 400
- Amsterdam 51
- analysis
  - lexical 390
  - syntactical 387
- analytic tree structure 45
- anaphora 400
  - intersentential 346
  - intrasentential 346
  - replacement 147
  - resolution 147, 345, 357, 410
- ANN 311
- annotation scheme 410
- ANOVA 283
- anti-quadruplets 238
- argumentation act 364
- ARTIC 223
- ATN 35, 237, 390
- ATS 45, 75
- authentication voice-based 375
- autocorrelation function 184
- automated
  - dialogue interface 405
  - dialogue system design 405
- automated analysis of abstract 69
- automatic
  - classification of different prosodic events 165
  - dialogue system 171
  - functor assignment system 46
  - morphological disambiguation 3
  - segmentation 224
  - speech recognition 283, 307
  - speech segmentation 201
- autoregressive hidden Markov model 207
- autoregressive model 192
- AVIP 423
- back-propagation 311
- Bayes naïve algorithm 151
- BDGEO 18
- Belarussian speech recognition 301
- BFP-algorithm 345
- bidirectional chart parsing 21
- bidirectionality 21
- bidirectionality in parsing 21
- binary decision trees 225
- BNC 10
- bootstrapping 157, 159
- bootstrapping procedure 11
- Boston University Radio News Corpus 369
- bottom-up syntactic parsing 63
- Brill tagger 6
- British National Corpus 10

- Brno 51, 301
- Brown Corpus 29, 160
- C4.5 50, 193
- caching method 221
- caching scheme 217
- Cambridge statistical modelling toolkit 212
- Catalan text-to-speech 277
- categorical grammar 51
- centring algorithms 345
- cepstral coefficients 298
- cepstral train 184
- cepstrum 298
- chart parsing 21, 81
- Chinese
  - machine translation 125
  - segmentation 122
- chunk of verbs 116
- chunking corpus-based 15
- classification
  - by ensemble voting 31
  - of texts 151
- classifiers 27
  - ensemble of 27
  - transformation-based 27
  - tree-based 27
- clustering
  - of words 255
  - tree-based 225
- clusterization 241
- ČNK 7, 75
- co-articulation 229
- codebook
  - optimal size 209
  - vector 299
- coherence maintenance 357
- collaborative principle 408
- collocation verbonomial 141
- combinatory dictionary 357
- communication multi-modal 327
- compound
  - sentences 145
  - verb groups 115
  - word 39, 127
  - word decomposition 40
  - word in Chinese 121
- compound word hyphenation 160
- compound words 160
- computationally efficient parser 341
- concatenative speech synthesis 189
- concept model 445
- concept structure 447
- conceptual dependency theory 446
- consensus vote filter 31
- constraint grammar 3, 16, 161
- contextual reference 87
- continuous styles 195
- contrast expressed phonetically 289
- conversational games 363
- conversion grapheme-to-phoneme 274
- coordination of noun phrases 57
- CORBA 242
- corpus
  - annotation 75
  - Anthology of Russian Short Stories 100
  - BDGEO 18
  - bilingual 133
  - Boston University Radio News 369
  - broadcast news CSR Hub-4 257
  - Brown 29, 160
  - continuous-read-speech 224
  - CZBN 212
  - DESAM 115
  - diphone 191
  - Gopolis 175
  - Lexesp 21, 24
  - Lidové Noviny 212
  - MEDLINE 153
  - MULTEXT-East 174
  - newspaper Yugoslav 58
  - of human-human dialogues 333
  - of newspaper articles 145
  - parallel German-French 133
  - Penn Treebank 21
  - Penn Treebank II 24
  - PolyPhone 339
  - single-speaker 224
  - SPEECHDAT 172
  - Susanne 29
  - text 99
    - classification 99
    - parametrisation 99
    - statistic 99
  - TIMIT 316
  - Večer 257
  - Wall Street Journal 15
  - WBUR 369
  - WSJ 17, 96
- cover-optimal pattern set 159
- CrossLexica dictionary 361

- CTIMIT 180
- cue-phrases 341
- cue-words 342
- Curry-Howard correspondence 51
- Czech
  - city Brno 51, 301
  - city Prague 51
  - corpus DESAM 115
  - dialogue system 259, 399
  - functional generative description 139
  - hyphenation 160
  - language modelling 211
  - linguistic School (Jakobson, Mathesius) 53
  - morphological analyser 213
  - morphological analyser *ajka* 160
  - morphology 157, 160
  - National Corpus 3, 7, 75
  - phonetic rule 226
  - recognition system 217
  - rule-based POS tagging 3
  - speech corpus 319
  - telephone system 259
  - TTS ARTIC 223
  - TTS system 201
  - WordNet 110
- CZech language Broadcast News corpus 212
- database
  - OGI Stories 285
  - sound 243
  - TIGIDITS 265
- DCG 69, 117, 342
- decision tree 225, 369
- dependency-based categorial grammar 51
- DESAM 115
- DGL 51
- DIALOGIC D/21D board 262
- dialogue
  - active strategy 427
  - agents 445
  - automation
    - finite state approach 333
  - control 333
  - cooperative 415
  - corpus 333
  - Danish 345
  - engine 351
  - for information retrieval 415
  - formal description 434
  - history 364
  - human operator strategies 333
  - human-human strategies 333
  - intentional structure 365
  - intentions 421
  - interactional goals 407
  - interface automated 405
  - man-machine 357
  - management 334
  - management system 333
  - manager 333, 385, 399
  - manager Alparon 333
  - markup language 435
  - model 335, 363
  - modelling 363
  - obligation-driven 363
  - passive strategy 427
  - program generation 427
  - representation 334
  - robustness 343
  - scenarios 363
  - sequences 405, 407
  - spoken 351, 387
  - state 439
    - modelling 439
    - predictor 439
  - states 363
  - strategies 333, 405
    - grammatical aspects 405
    - pragmatic aspects 405
  - strategy adaptation 430
  - strategy with user initiative 429
  - structure 410, 415
  - system 259, 399, 421, 439, 445
    - architecture 433
    - Galician 381
    - multi-modal 433
    - Spanish 381
    - SQEL 175
    - structure 433
  - technology 351
  - train timetable dialogue system 399
  - transactional goals 407
  - voice-based authentication 375
- dictionary
  - co-occurrence 238
  - combinatory 357
  - CrossLexica 361
  - grammatical 238
  - lexico-logical 109

- machine-readable Chinese 126
- nonverbal 327
- of collocations 238
- dictionary-based method 357
- diphone corpus 191
- diphone-based speech synthesis 189
- disambiguation
  - lexical 28
  - morphological 3
  - of free-word order language 3
  - of prepositional groups 139
  - POS 3
  - word sense 93
- discontinuous styles 195
- discourse
  - Danish 345
  - deictics 345
  - representation 395
  - structure 410
- discrete cosine transform 265
- discrete Kalman estimator 295
- discrete-utterance recognition 217
- divide and rule strategy 13
- DML 435
- document classification 151
- DTW 201
- dynamic model of syntax 38
- dynamic semantics of conversations 393
- dynamic syntax 33
- dynamic time warping 201
  
- ECS 447
- Edinburgh 51
- ellipsis 400
- elliptical phrases 357
- emblems
  - concepts 327
  - emotional 327
- emoticon 331
- emoticon examples 331
- EMOVS 277
- emphasis expressed phonetically 289
- endpoint detection 177
- energy-based speech detection algorithm 177
- epistemic semantics 393
- Epos 195, 201
- error correcting grammatical inference algorithm 15
- ES99-algorithm 345
  
- eSRPD 388
- EuroWordNet 110
- EVAR 440
- extended concept structure 447
  
- face talking 327
- facial
  - D animations 327
  - expressions 327
  - script language 328
- Facial Action Coding System 328
- FACS 328
- feature
  - extraction 296
  - unification grammar 340
  - vector 256, 285, 296, 314
- FFMTIMIT 180
- FFT 274
- FGD 139
- filter
  - bank 317
  - FIR RASTA 284
- filtering
  - frequency 265
  - multi-band 265
- finite-state
  - automata 157
  - automation dialogue approach 333
  - machine 385
  - machine decomposition 157
  - Markov process 34
  - methods 157
  - networks 352
  - stochastic automata 15
  - syntax 388
  - transducer 57, 157
- FlexVoice text-to-speech system 189
- Fourier transformation 298
- frequency
  - bands 314
  - filtering 266
  - filtering parameterisation 265
- FSA 157, 340
- FSM 157, 340, 385
- FST 157
- FUG 340
- full text search 39
- functor assignment 45
- fuzzy clustering 255
- fuzzy DCG grammars 342

- fuzzy-robustness 342
- Galician dialogue system 381
- games conversational 363
- Gaussian mixture model 377
- generation of dialogue strategy 428
- generation of program 427
- genetic algorithm 330
- genetic algorithms 301
- German hyphenation 160
- German orthography 39, 131
- GMM 314, 377
- Gopolis 165, 175
- grammar
  - ATN-type 237
  - categorial 51
  - constraint 3
  - definite clause 69
  - dependency 103
  - dependency-based 51
  - feature unification 340
  - fuzzy DCG 342
  - local 57, 158, 237
  - Montague 51, 109
  - grammar checking 63
  - grammatical agreement 117
- Hamming window 224, 262, 268, 285, 299, 306
- HelSi 130
- hierarchical networks of conceptual constituents 35
- HMM 15, 175, 178, 207, 224, 249, 259, 265, 301, 307, 314, 355, 369, 377
  - autoregressive 207
  - continuous 377
  - pitch-synchronous training 228
  - semi-continuous 249
  - three-state 219, 259
  - triphone 225
- HPSG 81, 340
- HTIMIT 180
- HTK toolkit 212, 225
- HTPL 354
- Hub-4 254, 257
- human operator dialogue strategies 337
- Hungarian number recognition 307
- Hyper Template Planning Language 354
- hyphenation 157
  - reliable 127
  - sense-conveying 39, 127
  - vector 129
- ICA 310
- ILP 118
- IMS TreeTagger 137
- inclusion problem 158
- indirect antecedents in dialogue 357
- inductive logic programming 115
- inflectional language parsing 63
- InfoCity 222
- information access in restricted domains 351
- information presentation 351
- information retrieval 93, 415
- information state update scenario 364
- information system
  - conversational train timetable 440
- interaction
  - context 417
  - structure 417
- interactional goals 407
- internal language relations 110
- INTEX 59
- intonation transcription 274
- Isadora net 167
- ISFER 330
- ISIS 339
- ISSCO 340
- Italian dialogue system 387, 421
- Japanese
  - dependency grammar 103
  - sentence compaction 103
  - spoken language 229
- Java 351, 427, 437
- Kalman
  - cepstral coefficients 295
  - estimator 295
  - filter 207
- Kana 229
- Klatt synthesiser 192
- knowledge
  - associated with word 445
  - update 393
- knowledge-based
  - speech recognition 275
- $\lambda$ -calculus 52
- language

- engineering 157
- generation 351
- model 253
- – topc-sensitive 253
- model adaptation 351
- model interpolation 257
- modelling 33, 439
- – Czech 211
- – morpheme-based 211
- – probabilistic 33
- statistical model 15
- LDA 283, 310
- LDC 212
- learning
  - memory-based 29
  - transformation-based 28
  - transformation-based error-driven 29
- letter-to-phoneme conversion 193
- Levinson-Durbin algorithm 192
- Levinson-Durbin recursion 296
- Lexesp 17, 21
- Lexesp Spanish corpus 24
- lexical
  - analysis 390
  - database WordNet 93
  - disambiguation 28
- lexico-grammar 88
- lexico-logical dictionary 109
- lexicography 9
- lexicon MULTEXT-East 174
- LFG 81
- LHIP 342
- light parsing 341
- linear discriminant analysis 283
- linear prediction 184
- linear predictive coding 295
- LKB 237
- LLD 109
- local grammar 158
- local grammars 57
- logic programming 69, 115
- logico-semantic induction 69
- long-term prediction 184
- LPC 184, 274
- LPC-based speech synthesis 189
- LTAG 81
- LTP 184
  
- machine
  - learning 151, 369
  - translation Chinese 125
- majority vote filter 31
- man-machine interaction 12
- MARK-ALISTeR 135
- maximum entropy tagging 28
- maximum island distance 25
- MEDLINE 153
- meta-expressions 393
- meta-interpreter 341
- meta-programming capabilities of logic programming 341
- metagrammar 81
- METAMODEL 237
- MID 25
- misclassification cost 50
- mixed representation approach 351
- MLAlign 136
- MLP 311
- MobiLuz 171
  - Slovene speech corpus 172
  - Slovene speech corpus annotations and lexicon 172
  - speech tools 172
- model
  - *n*-gram 253
  - trigram 253
- Montague grammar 51, 109
- morpheme-based language model 211
- morpheme-based language modelling 211
- morphological
  - analyser 392
  - analyser Morphy 131
  - analysis 65
  - – adaptive 66
  - disambiguation 3
- morphosyntactic
  - description 174
  - tagging 115, 133
- Morphy 131
- MULTEXT 340
- MULTEXT-East
  - (Slovene) tagset 174
  - corpus 174
  - lexicon 174
- multi-modal communication 327
- multi-modal dialogue system 433
  
- natural language engineering 157
- NCCF 184
- NLG 88

- noise detection 28
- nonverbal
  - behaviour 327
  - dictionary 327
- normal translation algorithm 85, 111
- noun phrase coordination 57
- NTIMIT 180
  
- Occam's razor 33, 37
- OGIvox 187
- ontology 110
- OOV-rate 213
  
- paradigm filling 240
- parametric speech synthesis 189
- parser
  - chart 21, 81
  - design 81
  - head-driven 81
  - island-driven 21
  - probabilistic 81
- parsing
  - chart 81
  - computationally efficient 341
  - coordination 57
  - head-driven 81
  - light 341
  - probabilistic 81
  - shallow 15
  - syntactic 63
  - Tomita 83
- part-of-speech 107
  - disambiguation 157
  - disambiguator 3
  - tagging 157
- passive clause patterns 146
- patgen 157
- pattern
  - bootstrapping 159
  - generation 157, 159
  - language 158
  - of passive clause 146
  - of word order 140
  - technique 157
- pattern-driven approach 157
- PCA 310
- PDT 45, 75, 140
- PDTB 85
- Penn Treebank 21, 369
- perceptual
  - properties of syllables 229
- performance structure 370
- perplexity reduction 258
- phone
  - model 287
- phoneme classification 307
- phonemic segmentation 307
- phonetic
  - context 250
  - focus 289
  - fund of Russian language 244
  - prominence 289
  - recognition 237
  - rule 226
  - segmentation 201, 203
  - tagging 174
  - transcription 174, 223
  - unit 390
  - variability 243
- pitch
  - detection 183
  - optimal path tracking 183
  - period 237
- Polaris 110
- Polyphone corpus 339
- POS 193
  - disambiguation 3, 157
  - tagging 15, 27, 157
- pragmatic knowledge 439
- Prague 51
  - Dependency Treebank 45, 75, 85, 140
  - School 53
- precision and recall 96
- precision versus recall 50
- prepositional groups 139
- probabilistic union model 270
- programming
  - by visually impaired 427
  - dynamic 388
- Prolog 69, 342, 427
  - Quintus 402
- pronunciation dictionary 174
- prosodic
  - annotation 165, 171
  - annotation procedures 165
  - boundaries 421, 424
  - context 250
  - events
    - automatic classification 165
    - labelling 165

- recognition 165
- units 199
- prosodic analysis 195
- prosody
  - generation 387
  - groups 388
  - model 389
  - modelling 198, 387
  - prediction 369, 373
- PSet 145
- PSOLA 223, 277
- PTBII 24
  
- recursive transition networks 352
- regular expression
  - morpho-syntactic 60
- regular expressions 63
- relevance feedback 93
- reliable pitch detection 183
- representation of meaning 446
- ReSi 130
- RST 90
- rule language 8
- rule-based tagger for Czech 3
- rules of phonetic transcription 223
- Russian
  - phonemes 245
  - phonetic fund 243
  - speech synthesis 271
  
- S-list 346
- S98-algorithm 345
- SAMPA 191
- SCFG 24, 341
- search sense-conveying 39
- segment-based
  - speech recognition 307
- segmentation
  - automatic 224
  - prosody groups 389
- self-organising neural networks 207
- semantic
  - analyser 385
  - analysis 109, 339
  - knowledge 439
  - processing 445
  - relation 109
  - representation 109
  - structures 35
  - tags 352
- semantic network 35
- semantical closedness 393
- semantics
  - dynamic 393
  - update 395
- sense disambiguation algorithm 11
- sense-disambiguated corpus 12
- Senseval 9
- sentence compaction 103
- sentence planning 87
- Serbo-Croatian language processing 57
- SGML 60, 136
- shallow parsing 15
- Sichere Sinnentsprechende Silbentrennung 39
- Sigmark 175
- silence detection 262
- SINO 415
- SiSiSi 39, 44, 127
- size-optimal pattern set 159
- SLM-toolkit 17
- Slovene speech corpus 172
- Slovenian
  - corpus 253
  - corpus Večer 257
  - speech data database 165
- Smart 95
- smiley 327
- smoothed ZCR 179
- SNABI 172
- Spanish
  - dialogue 410
  - dialogue system 381
  - TTS 248
- speaker
  - authentication 375
  - module 385
  - detection 177
  - identification 207, 295, 314
  - independent recognition 259
  - ranking 317
  - recognition 375
  - verification 375
- speaker-independent
  - recognition 237
- spectral analysis 207
- speech
  - alignment 174
  - analysis 283
  - boundaries estimation 178



- continuous 229, 259
- continuous styles 195
- corpus
  - annotation 319
  - Czech 319
- corpus Gopoliš 175
- corpus TIMIT 316
- data database (Slovenian) 165
- database 249
- detection 177
- dialect 244
- discontinuous styles 195
- energy-based detection algorithm 177
- patterns 201
- production 295
- recogniser 385
- recognition 211, 237, 243, 253, 259, 265, 268, 275, 283, 301, 307, 319, 339, 439
  - engine 259
  - knowledge-based 237
  - speed up 217
  - system 237
- recognition system 249
- regional 244
- segment database construction 223
- segmentation 174, 201, 249
  - styles 195
- synthesis 189, 223, 250, 271, 277, 369
  - allophone-based 271
  - concatenative 189, 271
  - diphone-based 189, 277
  - LPC-based 189
  - parametric 189
  - triphone-based 277
  - US English 189
- synthesiser 201, 351
- transcription 243
- triphone-based units 223
- understanding 439
- SPEECHDAT-Slovene 172
- SpeechStudio 196
- spell checking 39
- spoken
  - dialogue interactions 351
  - language corpus 171
  - utterance 388
- SQEL 175
- SSD 223
- SSFSF 317
- stochastic finite-state automata 15
- stochastic model 21
- stratification 157, 159
- SUMMIT 309
- SVM 311
- Swedish children's stories 289
- syllable
  - consonant-vowel 229
  - identification 229
  - segmentation 229
- syntactic
  - analysis in Chinese 121
  - model 33
  - parsing 63
  - structure 370
  - transition rules 36
- syntactical analysis 387
- syntax
  - dynamic 33
  - model 33
- synthesiser
  - concatenation-based 223
  - Klatt 192
- SYSTAR 145
- SZCR 179
- tagger
  - IMS TreeTagger 137
  - TnT 174
- tagging
  - *n*-gram 28
  - corpus-based 15
  - hierarchies 158
  - morphosyntactic 115
  - noise detection 28
  - rule-based 3
  - stochastic 3
  - tectogrammatical 75
  - transformation-based 28
  - unigram 28
- tagset
  - MRPA 174
  - MULTEXT-East 174
- talking face 327
- TBL 29
- TD-PSOLA 174, 227, 248
- TEA 151
- tectogrammatical annotation 75
- tectogrammatical tree structure 45
- TEI 133
- TelCorreo 375, 381

- basic structure 383
- tenor of a dialogue 407
- $\TeX$  44, 161
- text
  - alignment 133
  - analysis 69
  - balloons 327
  - classification 151
  - coherence 87
  - cohesion 87
  - corpora 99
  - filtering 151
  - generation 87, 145
  - grammar 92
  - parallel processing 133
  - patterns 146
  - processing 226
  - simplification 145
  - syntactical simplification 145
- text-independent speaker identification 295
- text-to-speech 277, 387
  - conversion 195
  - converter 381
  - synthesis 169, 248, 384
  - system 189
    - Flexvoice 189
    - system Epos 195
    - system S5 174
- textual
  - coherence 87
  - cohesion 87
  - relationship 289
- TGTS 45, 75
- TIGIDITS 265
- TIL 51, 85, 109
- TiMBL 28
- time domain pitch synchronous overlap-add method 248
- TIMIT 180, 316
- TnT tagger 174
- Toeplitz autocorrelation matrix 296
- toolkit
  - Cambridge statistical modelling 212
  - HTK 212, 225
- topic
  - adaptation 253
  - classification 256
  - rank 257
  - representation 254
- topical importance 103
- transactional goals 407
- Transcriber 322
- transcription rule 227
- transformation rules 241
- transition networks 352
- transition states 346
- transparent intensional logic 51, 109
- TREC 96
- tree metrics 372
- trie 157
- triphone-based speech units 223
- TTS 189, 195, 201, 223, 248, 277, 381, 387
  - system ARTIC 223
- UML 237
- Unified Modelling Language 242
- utterance
  - anaphoric 399
  - elliptic 399
  - verification 375
- vector
  - quantisation 299, 314
  - ranking 317
- Verbmobil 166
- ViaVoice 438
- Viterbi
  - decoding 259
  - search 263
- Vlny 320
- vocabulary recognition system 217
- voice activity detection 177
- VoiceXML 263
- Wall Street Journal corpus 15
- WASPS 9
- WBUR 369
- Weibull function 101
- WIMP 433
- Witten Bell discounting 214
- word
  - accent labels 166
  - analysis system 39, 127
  - atomic components 39
  - classification 159
  - collocations 109
  - compound 121
  - compounds 160
  - compounds in German 127
  - concept model 445

- decomposition 213
- disambiguation 109
- final lengthening 422
- hyphenation 160
- order patterns 140
- phonological 390
- segmentation 121
- sense disambiguation 9, 93
- senses 109
- sensitive 121
- weighting classifier 253
- word-form lexicon 174
- WordNet 93, 109
- WSD 9, 93
- WSJ 17, 96
- XML 63, 136, 434
- Yarowsky technique 12
- YOHO 180
- ZCR 178
- zero-crossing rate 178