

# The Unicode HOWTO

Bruno Haible,  
<haible@clisp.cons.org>

v0.18, 4 August 2000

This document describes how to change your Linux system so it uses UTF-8 as text encoding. This is work in progress. Any tips, patches, pointers, URLs are very welcome.

ConT<sub>E</sub>Xt typesetting and design David Antoš, 2001

Content



Stop



# Content

1	Introduction	4	4	Specific applications	25
1.1	Why Unicode?	4	4.1	Networking	26
1.2	Unicode encodings	5	4.1.1	telnet	26
1.2.1	Footnotes for C/C++ developers	7	4.1.2	kermit	27
1.3	Related resources	8	4.2	Browsers	27
2	Display setup	9	4.2.1	Netscape	27
2.1	Linux console	9	4.2.2	Mozilla	28
2.2	X11 Foreign fonts	10	4.2.3	lynx	28
2.3	X11 Unicode fonts	12	4.2.4	w3m	29
2.4	Unicode xterm	13	4.2.5	Test pages	30
2.5	TrueType fonts	15	4.3	Editors	30
2.6	Miscellaneous	17	4.3.1	yudit	30
3	Locale setup	18	4.3.2	vim	31
3.1	Files & the kernel	18	4.3.3	emacs	31
3.2	Ttys & the kernel	19	4.3.4	xemacs	36
3.3	General data conversion	20	4.3.5	nedit	37
3.4	Locale environment variables	21	4.3.6	xedit	38
3.5	Creating the locale support files	23	4.3.7	axe	38
3.6	Adding support to the C library	24	4.3.8	pico	38
			4.3.9	mined98	38
			4.4	Mailers	39
			4.4.1	pine	39
			4.4.2	kmail	40
			4.4.3	Netscape Communicator	40
			4.4.4	emacs (rmail, vm)	41

## Content



Stop



4.4.5	mutt	41	5.2.3	groff -Tps	66
4.4.6	exmh	41	5.3	No luck with...	66
4.5	Text processing	42	5.3.1	Netscape's "Print..."	66
4.5.1	groff	42	5.3.2	Mozilla's "Print..."	66
4.5.2	T <sub>E</sub> X	42	5.3.3	html2ps	67
4.6	Databases	43	5.3.4	a2ps	67
4.6.1	PostgreSQL	43	5.3.5	enscript	67
4.7	Other text-mode applications	43	6	Making your programs Unicode aware	68
4.7.1	less	43	6.1	C/C++	68
4.7.2	lv	43	6.1.1	For normal text handling	69
4.7.3	expand, wc	44	6.1.1.1	Portability notes	70
4.7.4	col, colcrt, colrm, column, rev, ul	44	6.1.1.2	The libutf8 library	74
4.7.5	figlet	44	6.1.1.3	The Plan9 way	75
4.7.6	Base utilities	44	6.1.2	For graphical user interface	75
4.8	Other X11 applications	63	6.1.3	For advanced text handling	75
5	Printing	64	6.1.4	For conversion	76
5.1	Printing using TrueType fonts	64	6.1.4.1	iconv	77
5.1.1	uniprint	65	6.1.4.2	librecode	77
5.1.2	wprint	65	6.1.4.3	ICU	78
5.1.3	Comparison	65	6.1.5	Other approaches	78
5.2	The classical approach	65	6.2	Java	79
5.2.1	T <sub>E</sub> X, Omega	66	6.3	Lisp	80
5.2.2	DocBook	66	6.4	Ada95	81

## Content



Stop



6.5	Python	81	7.1	Mailing lists	83
6.6	JavaScript/ECMAScript	82	7.1.1	linux-utf8	83
6.7	Tcl	82	7.1.2	li18nux	83
6.8	Perl	82	7.1.3	unicode	84
			7.1.4	X11 internationalization	84
7	Other sources of information	83	7.1.5	X11 fonts	85

## Content



Stop



# 1 Introduction

1.1	Why Unicode?	4
1.2	Unicode encodings	5
1.2.1	Footnotes for C/C++ developers	7
1.3	Related resources	8

## 1.1 Why Unicode?

People in different countries use different characters to represent the words of their native languages. Nowadays most applications, including email systems and web browsers, are 8-bit clean, i.e. they can operate on and display text correctly provided that it is represented in an 8-bit character set, like ISO-8859-1.

There are far more than 256 characters in the world—think of cyrillic, hebrew, arabic, chinese, japanese, korean and thai—, and new characters are being invented now and then. The problems that come up for users are:

- It is impossible to store text with characters from different character sets in the same document. For example, I can cite russian papers in a German or French publication if I use  $\text{\TeX}$ , x $\text{\dv}$ i and PostScript, but I cannot do it in plain text.
- As long as every document has its own character set, and recognition of the character set is not automatic, manual user intervention is inevitable. For example, in order to view the homepage of the XTeamLinux distribution <http://www.xteamlinux.com.cn/> I had to tell Netscape that the web page is coded in GB2312.
- New symbols like the Euro are being invented. ISO has issued a new standard ISO-8859-15, which is mostly like ISO-8859-1 except that it removes some rarely

## Content



Why Unicode?  
Unicode encodings  
Related resources



Stop



used characters (the old currency sign) and replaced it with the Euro sign. If users adopt this standard, they have documents in different character sets on their disk, and they start having to think about it daily. But computers should make things simpler, not more complicated.

The solution of this problem is the adoption of a world-wide usable character set. This character set is Unicode <http://www.unicode.org/>. For more info about Unicode, do `'man 7 unicode'` (manpage contained in the man-pages-1.20 package).

## 1.2 Unicode encodings

This reduces the user's problem of dealing with character sets to a technical problem: How to transport Unicode characters using the 8-bit bytes? 8-bit units are the smallest addressing units of most computers and also the unit used by TCP/IP network connections. The use of 1 byte to represent 1 character is, however, an accident of history, caused by the fact that computer development started in Europe and the U.S. where 96 characters were found to be sufficient for a long time.

There are basically four ways to encode Unicode characters in bytes:

- UTF-8  
128 characters are encoded using 1 byte (the ASCII characters). 1920 characters are encoded using 2 bytes (Roman, Greek, Cyrillic, Coptic, Armenian, Hebrew, Arabic characters). 63488 characters are encoded using 3 bytes (Chinese and Japanese among others). The other 2147418112 characters (not assigned yet) can be encoded using 4, 5 or 6 characters. For more info about UTF-8, do `'man 7 utf-8'` (manpage contained in the ldpman-1.20 package).
- UCS-2

Content



Why Unicode?  
Unicode encodings  
Related resources



Stop



Every character is represented as two bytes. This encoding can only represent the first 65536 Unicode characters.

- UTF-16

This is an extension of UCS-2 which can represent 1112064 Unicode characters. The first 65536 Unicode characters are represented as two bytes, the other ones as four bytes.

- UCS-4

Every character is represented as four bytes.

The space requirements for encoding a text, compared to encodings currently in use (8 bit per character for European languages, more for Chinese/ Japanese/ Korean), is as follows. This has an influence on disk storage space and network download speed (when no form of compression is used).

- UTF-8 No change for US ASCII, just a few percent more for ISO-8859-1, 50 % more for Chinese/ Japanese/ Korean, 100 % more for Greek and Cyrillic.
- UCS-2 and UTF-16  
No change for Chinese/ Japanese/ Korean. 100 % more for US ASCII and ISO-8859-1, Greek and Cyrillic.
- UCS-4  
100 % more for Chinese/ Japanese/ Korean. 300 % more for US ASCII and ISO-8859-1, Greek and Cyrillic.

Given the penalty for US and European documents caused by UCS-2, UTF-16, and UCS-4, it seems unlikely that these encodings have a potential for wide-scale use. The

## Content



Why Unicode?  
Unicode encodings  
Related resources



Stop



Microsoft Win32 API supports the UCS-2 encoding since 1995 (at least), yet this encoding has not been widely adopted for documents—SJIS remains prevalent in Japan. UTF-8 on the other hand has the potential for wide-scale use, since it doesn't penalize US and European users, and since many text processing programs don't need to be changed for UTF-8 support.

In the following, we will describe how to change your Linux system so it uses UTF-8 as text encoding.

### 1.2.1 Footnotes for C/C++ developers

The Microsoft Win32 approach makes it easy for developers to produce Unicode versions of their programs: You `#define UNICODE` at the top of your program and then change many occurrences of `'char'` to `'TCHAR'`, until your program compiles without warnings. The problem with it is that you end up with two versions of your program: one which understands UCS-2 text but no 8-bit encodings, and one which understands only old 8-bit encodings.

Moreover, there is an endianness issue with UCS-2 and UCS-4. The IANA character set registry <http://www.isi.edu/in-notes/iana/assignments/character-sets> says about ISO-10646-UCS-2: “this needs to specify network byte order: the standard does not specify”. Network byte order is big endian. And RFC 2152 is even clearer: “ISO/IEC 10646-1:1993(E) specifies that when characters the UCS-2 form are serialized as octets, that the most significant octet appear first.” Whereas Microsoft, in its C/C++ development tools, recommends to use machine-dependent endianness (i.e. little endian on ix86 processors) and either a byte-order mark at the beginning of the document, or some statistical heuristics(!).

The UTF-8 approach on the other hand keeps `'char*'` as the standard C string type. As a result, your program will handle US ASCII text, independently of any environment

Content



Why Unicode?  
Unicode encodings  
Related resources



Stop





variables, and will handle both ISO-8859-1 and UTF-8 encoded text provided the LANG environment variable is set accordingly.

### 1.3 Related resources

Markus Kuhn's very up-to-date resource list:

- <http://www.cl.cam.ac.uk/~mgk25/unicode.html>
- <http://www.cl.cam.ac.uk/~mgk25/ucs-fonts.html>

Roman Czyborra's overview of Unicode, UTF-8 and UTF-8 aware programs: <http://czyborra.com/utf/#UTF-8>

Some example UTF-8 files:

- In Markus Kuhn's ucs-fonts package: quickbrown.txt, UTF-8-test.txt, UTF-8-demo.txt.
- <ftp://ftp.cs.su.oz.au/gary/x-utf8.html>
- The file `iso10646` in the Kosta Kostis' trans-1.1.1 package <ftp://ftp.nid.ru/pub/os/unix/misc/trans111.tar.gz>
- <ftp://ftp.dante.de/pub/tex/info/lwc/apc/utf8.html>
- <http://www.cogsci.ed.ac.uk/~richard/unicode-sample.html>

Content



Why Unicode?  
Unicode encodings  
Related resources



Stop



## 2 Display setup

2.1	Linux console	9
2.2	X11 Foreign fonts	10
2.3	X11 Unicode fonts	12
2.4	Unicode xterm	13
2.5	TrueType fonts	15
2.6	Miscellaneous	17

We assume you have already adapted your Linux console and X11 configuration to your keyboard and locale. This is explained in the Danish/International HOWTO, and in the other national HOWTOs: Finnish, French, German, Italian, Polish, Slovenian, Spanish, Cyrillic, Hebrew, Chinese, Thai, Esperanto. But please do not follow the advice given in the Thai HOWTO, to pretend you were using ISO-8859-1 characters (U0000...U00FF) when what you are typing are actually Thai characters (U0E01...U0E5B). Doing so will only cause problems when you switch to Unicode.

### 2.1 Linux console

I'm not talking much about the Linux console here, because on those machines on which I don't have xdm running, I use it only to type my login name, my password, and "xinit".

Anyway, the kbd-0.99 package <ftp://sunsite.unc.edu/pub/Linux/system/keyboards/kbd-0.99.tar.gz> and a heavily extended version, the console-tools-0.2.3 package <ftp://sunsite.unc.edu/pub/Linux/system/keyboards/console-tools-0.2.3.tar.gz> contains in the kbd-0.99/src/ (or console-tools-0.2.3/screenfonttools/) directory two programs: 'unicode\_start' and 'unicode\_stop'. When you call 'unicode\_start', the console's screen

## Content



Linux console  
X11 Foreign fonts  
X11 Unicode fonts  
Unicode xterm  
TrueType fonts  
Miscellaneous



Stop



output is interpreted as UTF-8. Also, the keyboard is put into Unicode mode (see “man kbd\_mode”). In this mode, Unicode characters typed as Alt-x1...Alt-xn (where x1,...,xn are digits on the numeric keypad) will be emitted in UTF-8. If your keyboard or, more precisely, your normal keymap has non-ASCII letter keys (like the German Umlaute) which you would like to be CapsLockable, you need to apply the kernel patch linux-2.2.9-keyboard.diff or linux-2.3.12-keyboard.diff.

You will want to use display characters from different scripts on the same screen. For this, you need a Unicode console font. The ftp://sunsite.unc.edu/pub/Linux/system/keyboards/kbd-0.99.tar.gz and ftp://sunsite.unc.edu/pub/Linux/system/keyboards/console-data-1999.08.29.tar.gz packages contain a font (LatArCyrHeb-{08, 14, 16, 19}.psf) which covers Latin, Cyrillic, Hebrew, Arabic scripts. It covers ISO 8859 parts 1, 2, 3, 4, 5, 6, 8, 9, 10 all at once. To install it, copy it to /usr/lib/kbd/consolefonts/ and execute /usr/bin/setfont /usr/lib/kbd/consolefonts/LatArCyrHeb-14.psf.

If you want cut&paste to work with UTF-8 consoles, you need the patch linux-2.3.12-console.diff from Edmund Thomas Grimley Evans and Stanislav Voronyi.

In April 2000, Edmund Thomas Grimley Evans <edmund@rano.org> has implemented an UTF-8 console terminal emulator. It uses Unicode fonts and relies on the Linux frame buffer device.

## 2.2 X11 Foreign fonts

Don't hesitate to install Cyrillic, Chinese, Japanese etc. fonts. Even if they are not Unicode fonts, they will help in displaying Unicode documents: at least Netscape Communicator 4 and Java will make use of foreign fonts when available.

The following programs are useful when installing fonts:

## Content



Linux console  
X11 Foreign fonts  
X11 Unicode fonts  
Unicode xterm  
TrueType fonts  
Miscellaneous



Stop



- “mkfontdir directory” prepares a font directory for use by the X server, needs to be executed after installing fonts in a directory.
- “xset fp+ directory” adds a directory to the X server’s current font path. To add a directory permanently, add a “FontPath” line to your /etc/XF86Config file, in section “Files”.
- “xset fp rehash” needs to be executed after calling mkfontdir on a directory that is already contained in the X server’s current font path.
- “xfontsel” allows you to browse the installed fonts by selecting various font properties.
- “xlsfonts -fn fontpattern” lists all fonts matching a font pattern. Also displays various font properties. In particular, “xlsfonts -ll -fn font” lists the font properties CHARSET\_REGISTRY and CHARSET\_ENCODING, which together determine the font’s encoding.
- “xfd -fn font” displays a font page by page.

The following fonts are freely available (not a complete list):

- The ones contained in XFree86, sometimes packaged in separate packages. For example, SuSE has only normal 75dpi fonts in the base ‘xf86’ package. The other fonts are in the packages ‘xfnt100’, ‘xfntbig’, ‘xfntcyr’, ‘xfntsl’.
- The Emacs international fonts, <ftp://ftp.gnu.org/pub/gnu/intlfonts/intlfonts-1.2.tar.gz> As already mentioned, they are useful even if you prefer XEmacs to GNU Emacs or don’t use any Emacs at all.

## Content



Linux console  
X11 Foreign fonts  
X11 Unicode fonts  
Unicode xterm  
TrueType fonts  
Miscellaneous



Stop



## 2.3 X11 Unicode fonts

Applications wishing to display text belonging to different scripts (like Cyrillic and Greek) at the same time, can do so by using different X fonts for the various pieces of text. This is what Netscape Communicator and Java do. However, this approach is more complicated, because instead of working with ‘Font’ and ‘XFontStruct’, the programmer has to deal with ‘XFontSet’, and also because not all fonts in the font set need to have the same dimensions.

- Markus Kuhn has assembled fixed-width 75dpi fonts with Unicode encoding covering Latin, Greek, Cyrillic, Armenian, Georgian, Hebrew, Symbol scripts. They cover ISO 8859 parts 1,2,3,4,5,7,8,9,10,13,14,15 all at once. This font is required for running xterm in utf-8 mode. <http://www.cl.cam.ac.uk/~mgk25/download/ucs-fonts.tar.gz>
- Roman Czyborra has assembled an 8x16/16x16 75dpi font with Unicode encoding covering a huge part of Unicode. Download unifont.hex.gz and hex2bdf from <http://czyborra.com/unifont/>. It is not fixed-width: 8 pixels wide for European characters, 16 pixels wide for Chinese characters. Installation instructions:

```
$ gunzip unifont.hex.gz
$ hex2bdf < unifont.hex > unifont.bdf
$ bdf2pcf -o unifont.pcf unifont.bdf
$ gzip -9 unifont.pcf
# cp unifont.pcf.gz /usr/X11R6/lib/X11/fonts/misc
# cd /usr/X11R6/lib/X11/fonts/misc
# mkfontdir
# xset fp rehash
```

### Content



Linux console  
X11 Foreign fonts  
X11 Unicode fonts  
Unicode xterm  
TrueType fonts  
Miscellaneous



Stop



- Primoz Peterlin has assembled an ETL family fonts covering Latin, Greek, Cyrillic, Armenian, Georgian, Hebrew scripts. <ftp://ftp.x.org/contrib/fonts/etl-unicode.tar.gz> Use the ‘bdf2pcf’ program in order to install it.
- Mark Leisher has assembled a proportional, 17 pixel high (12 point), font, called ClearlyU, covering Latin, Greek, Cyrillic, Armenian, Georgian, Hebrew, Thai, Lao-tian scripts. <http://crl.nmsu.edu/~mleisher/cu.html>. Installation instructions:

```
$ bdf2pcf -o cu12.pcf cu12.bdf
$ gzip -9 cu12.pcf
# cp cu12.pcf.gz /usr/X11R6/lib/X11/fonts/misc
# cd /usr/X11R6/lib/X11/fonts/misc
# mkfontdir
# xset fp rehash
```

## 2.4 Unicode xterm

xterm is part of X11R6 and XFree86, but is maintained separately by Tom Dickey. <http://www.clark.net/pub/dickey/xterm/xterm.html> Newer versions (patch level 109 and above) contain support for converting keystrokes to UTF-8 before sending them to the application running in the xterm, and for displaying Unicode characters that the application outputs as UTF-8 byte sequence.

To get an UTF-8 xterm running, you need to:

- Fetch <http://www.clark.net/pub/dickey/xterm/xterm.tar.gz>,
- Configure it by calling “./configure --enable-wide-chars...”, then compile and install it.

## Content



Linux console  
X11 Foreign fonts  
X11 Unicode fonts  
Unicode xterm  
TrueType fonts  
Miscellaneous



Stop



- Have a Unicode fixed-width font installed. Markus Kuhn's ucs-fonts.tar.gz (see above) is made for this.
- Start xterm `-u8 -fn 'misc-fixed-medium-r-semicondensed--13-120-75-75-c-60-iso-10646-1'`. The option “-u8” turns on Unicode and UTF-8 handling. The font designated by the long “-fn” option is Markus Kuhn's Unicode font. Without this option, the default font called “fixed” would be used, an ISO-8859-1 6x13 font.
- Take a look at the sample files contained in Markus Kuhn's ucs-fonts package:

```
$ cd ../ucs-fonts
$ cat quickbrown.txt
$ cat utf-8-demo.txt
```

You should be seeing (among others) greek and russian characters.

- To make xterm come up with UTF-8 handling each time it is started, add the lines

```
XTerm*utf8:    1
*VT100*font:  -misc-fixed-medium-r-semicondensed--13-120-75
               -75-c-60-iso10646-1
```

to your `$HOME/.Xdefaults` (for yourself only). I don't recommend changing the system-wide `/usr/X11R6/lib/X11/app-defaults/XTerm`, because then your changes will be erased next time you upgrade to a new XFree86 version.

A further patch which implements support for double-wide characters (mostly CJK ideographs) and combining characters, by Robert Brady <rwbl97@ecs.soton.ac.uk>, is available from <http://www.zepler.org/~rwbl97/xterm/>. It is based on xterm patch

## Content



Linux console  
X11 Foreign fonts  
X11 Unicode fonts  
Unicode xterm  
TrueType fonts  
Miscellaneous



Stop



level 140 <http://www.clark.net/pub/dickey/xterm/xterm-140.tgz> and is best used with the following settings:

```
*VT100*font:      -Misc-Fixed-Medium-R-Normal--18-120-100
                  -100-C-90-IS010646-1
*VT100*wideFont:  -Daewoo-Gothic-Medium-R-Normal--18-18-100
                  -100-M-180-IS010646-1
```

## 2.5 TrueType fonts

The fonts mentioned above are fixed size and not scalable. For some applications, especially printing, high resolution fonts are necessary, though. The most important type of scalable, high resolution fonts are TrueType fonts. They are currently supported by

- XFree86 4.0.1; you need to add the line

```
Load "freetype"
```

or

```
Load "xft"
```

to the Modules section of your XF86Config file.

- The display engines of other operating systems.
- The yudit editor, see below, and its printing engine.

Some no-cost TrueType fonts with large Unicode coverage are

Content



Linux console  
X11 Foreign fonts  
X11 Unicode fonts  
Unicode xterm  
TrueType fonts  
Miscellaneous



Stop





- Bitstream Cyberbit  
Covers Roman, Cyrillic, Greek, Hebrew, Arabic, combining diacritical marks, Chinese, Korean, Japanese, and more.  
Downloadable from <ftp://ftp.netscape.com/pub/communicator/extras/fonts/windows/Cyberbit.ZIP>.
- Microsoft Arial  
Covers Roman, Cyrillic, Greek, Hebrew, Arabic, some combining diacritical marks, Vietnamese.  
Downloadable; look on a search engine for ftp-able files called arial.ttf, ariali.ttf, arialbd.ttf, arialbi.ttf.
- Lucida Sans Unicode  
Covers Roman, Cyrillic, Greek, Hebrew, combining diacritical marks.  
Download: contained in IBM's JDK 1.3.0beta for Linux, or directly downloadable as LucidaSansRegular.ttf and LucidaSansOblique.ttf from <ftp://ftp.maths.tcd.ie/Linux/opt/IBMJava2-13/jre/lib/fonts/>.

Download locations for these and other TrueType fonts can be found at Christoph Singer's list of freely downloadable Unicode TrueType fonts <http://www.ccss.de/slovo/unifonts.htm>.

TrueType fonts can be converted to low resolution, non-scalable X11 fonts by use of Mark Leisher's ttf2bdf utility <ftp://crl.nmsu.edu/CLR/multiling/General/ttf2bdf-2.8-LINUX.tar.gz>.

More information about TrueType fonts can be found in the Linux TrueType HOWTO <http://www.moisty.org/~brion/linux/TrueType-HOWTO.html>.

## Content



Linux console  
X11 Foreign fonts  
X11 Unicode fonts  
Unicode xterm  
TrueType fonts  
Miscellaneous



Stop



## 2.6 Miscellaneous

A small program which tests whether a Linux console or xterm is in UTF-8 mode can be found in the `ftp://sunsite.unc.edu/pub/Linux/system/keyboards/x-lt-1.18.tar.gz` package by Ricardas Cepas, files `testUTF-8.c` and `testUTF8.c`. Most applications should not use this, however: they should look at the environment variables, see section “Locale environment variables”.

### Content



Linux console  
X11 Foreign fonts  
X11 Unicode fonts  
Unicode xterm  
TrueType fonts  
Miscellaneous



Stop



## 3 Locale setup

3.1	Files & the kernel	18
3.2	Ttys & the kernel	19
3.3	General data conversion	20
3.4	Locale environment variables	21
3.5	Creating the locale support files	23
3.6	Adding support to the C library	24

### 3.1 Files & the kernel

You can now already use any Unicode characters in file names. No kernel or file utilities need modifications. This is because file names in the kernel can be anything not containing a null byte, and ‘/’ is used to delimit subdirectories. When encoded using UTF-8, non-ASCII characters will never be encoded using null bytes or slashes. All that happens is that file and directory names occupy more bytes than they contain characters. For example, a filename consisting of five greek characters will appear to the kernel as a 10-byte filename. The kernel does not know (and does not need to know) that these bytes are displayed as greek.

This is the general theory, as long as your files stay inside Linux. On filesystems which are used from other operating systems, you have mount options to control conversion of filenames to/from UTF-8:

- The “vfat” filesystems has a mount option “utf8”. See file: /usr/src/linux/Documentation/filesystems/vfat.txt. When you give an “iocharset” mount option different

## Content



Files & the kernel  
Ttys & the kernel  
General data conversion  
Locale environment ...  
Creating the locale ...  
Adding support to ...



Stop



from the default (which is “iso8859-1”), the results with and without “utf8” are not consistent. Therefore I don’t recommend the “iocharset” mount option.

- The “msdos”, “umsdos” filesystems have the same mount option, but it appears to have no effect.
- The “iso9660” filesystem has a mount option “utf8”. See file: /usr/src/linux/Documentation/filesystems/isofs.txt.
- Since Linux 2.2.x kernels, the “ntfs” filesystem has a mount option “utf8”. See file: /usr/src/linux/Documentation/filesystems/ntfs.txt.

The other filesystems (nfs, smbfs, ncfs, hpfs, etc.) don’t convert filenames; therefore they support Unicode file names in UTF-8 encoding only if the other operating system supports them. Recall that to enable a mount option for all future remounts, you add it to the fourth column of the corresponding /etc/fstab line.

## 3.2 Ttys & the kernel

Ttys are some kind of bidirectional pipes between two program, allowing fancy features like echoing or command-line editing. When in an xterm, you execute the “cat” command without arguments, you can enter and edit any number of lines, and they will be echoed back line by line. The kernel’s editing actions are not correct, especially the Backspace (erase) key and the tab key are not treated correctly.

To fix this, you need to:

## Content



Files & the kernel  
Ttys & the kernel  
General data conversion  
Locale environment ...  
Creating the locale ...  
Adding support to ...



Stop



- apply the kernel patch `linux-2.0.35-tty.diff` or `linux-2.2.9-tty.diff` or `linux-2.3.12-tty.diff` and recompile your kernel,
- if you are using `glibc2`, apply the patch `glibc211-tty.diff` and recompile your `libc` (or if you are not so adventurous, it is sufficient to patch an already installed include file: `glibc-tty.diff`),
- apply the patch `stty.diff` to GNU `sh-utils-1.16b`, and rebuild the “`stty`” program, then test it using “`stty -a`” and “`stty iutf8`”.
- add the command “`stty iutf8`” to the “`unicode_start`” script, and add the command “`stty -iutf8`” to the “`unicode_stop`” script.
- apply the patch `xterm.diff` to `xterm-109`, and rebuild “`xterm`”, then test it by starting “`xterm -u8`” / “`xterm +u8`” and running “`stty -a`” and interactive “`cat`” inside it.

### 3.3 General data conversion

You will need a program to convert your locally (probably ISO-8859-1) encoded texts to UTF-8. (The alternative would be to keep using texts in different encodings on the same machine; this is not fun in the long run.) One such program is ‘`iconv`’, which comes with `glibc-2.1`. Simply use

```
$ iconv --from-code=ISO-8859-1 --to-code=UTF-8 \
  < old_file > new_file
```

Here are two handy shell scripts, called “`i2u`” `i2u.sh` (for ISO to UTF conversion) and “`u2i`” `u2i.sh` (for UTF to ISO conversion). Adapt according to your current 8-bit character set.

## Content



Files & the kernel  
 Ttys & the kernel  
 General data conversion  
 Locale environment ...  
 Creating the locale ...  
 Adding support to ...



Stop



If you don't have glibc-2.1 and iconv installed, you can use GNU recode 3.5 instead. "i2u" i2u.recode.sh is "recode ISO-8859-1..UTF-8", and "u2i" u2i.recode.sh is "recode UTF-8..ISO-8859-1". <ftp://ftp.iro.umontreal.ca/pub/recode/recode-3.5.tar.gz> <ftp://ftp.gnu.org/pub/gnu/recode/recode-3.5.tar.gz> Notes: You need GNU recode 3.5 or newer. To compile GNU recode 3.5 on platforms without glibc2 (i.e. on all platforms except recent Linux systems), you need to configure it with `--disable-nls`, otherwise it won't link. Newer development versions of GNU recode with CJK support are available at <http://www.iro.umontreal.ca/contrib/recode/>.

Or you can also use CLISP instead. Here are "i2u" i2u.lisp and "u2i" u2i.lisp written in Lisp. Note: You need a CLISP version from July 1999 or newer. <ftp://clisp.cons.org/pub/lisp/clisp/source/clispsrc.tar.gz>.

Other data conversion programs, less powerful than GNU recode, are 'trans' <ftp://ftp.informatik.uni-erlangen.de/pub/doc/ISO/charsets/trans113.tar.gz>, 'tcs' from the Plan9 operating system <ftp://ftp.informatik.uni-erlangen.de/pub/doc/ISO/charsets/tcs.tar.gz>, and 'utrans'/'uhtrans'/'hutrans' <ftp://ftp.cdrom.com/pub/FreeBSD/dist-files/i18ntools-1.0.tar.gz> by G. Adam Stanislav <[adam@whizkidtech.net](mailto:adam@whizkidtech.net)>.

For the repeated conversion of files to UTF-8 from different character sets, a semi-automatic tool can be used: `to-utf8` presents the non-ASCII parts of a file to the user, lets him decide about the file's original character set, and then converts the file to UTF-8.

### 3.4 Locale environment variables

You may have the following environment variables set, containing locale names:

- LANGUAGE

## Content



Files & the kernel  
Ttys & the kernel  
General data conversion  
Locale environment ...  
Creating the locale ...  
Adding support to ...



## Stop



override for LC\_MESSAGES, used by GNU gettext only

- LC\_ALL  
override for all other LC\_\* variables
- LC\_CTYPE, LC\_MESSAGES, LC\_COLLATE, LC\_NUMERIC, LC\_MONETARY, LC\_TIME  
individual variables for: character types and encoding, natural language messages, sorting rules, number formatting, money amount formatting, date and time display
- LANG  
default value for all LC\_\* variables

(See ‘man 7 locale’ for a detailed description.)

Each of the LC\_\* and LANG variables can contain a locale name of the following form:

```
language{[_]\_territory{[_].codeset}}{[_]@modifier}
```

where language is an ISO 639 language code (lower case), territory is an ISO 3166 country code (upper case), codeset denotes a character set, and modifier stands for other particular attributes (for example indicating a particular language dialect, or a nonstandard orthography).

LANGUAGE can contain several locale names, separated by colons.

In order to tell your system and all applications that you are using UTF-8, you need to add a codeset suffix of UTF-8 to your locale names. For example, if you were using

```
LC_CTYPE=de_DE
```

you would change this to

## Content



Files & the kernel  
Ttys & the kernel  
General data conversion  
Locale environment ...  
Creating the locale ...  
Adding support to ...



Stop



```
LC_CTYPE=de_DE.UTF-8
```

You do *not* need to change your LANGUAGE environment variable. GNU gettext has the ability to convert translations to the right encoding. Until glibc-2.2 is released, all you have to do is to set the OUTPUT\_CHARSET environment variable.

```
$ export OUTPUT_CHARSET=UTF-8
```

glibc-2.2 will not need this OUTPUT\_CHARSET variable; it will correctly infer it from the LC\_CTYPE environment variable.

### 3.5 Creating the locale support files

If you have glibc-2.1 or glibc-2.1.1 or glibc-2.1.2 installed, first check using “localedef -help” that the system directory for character maps is /usr/share/i18n/charmaps. Then apply to the file /usr/share/i18n/charmaps/UTF8 the patch glibc21.diff or glibc211.diff or glibc212.diff, respectively. Then create the support files for each UTF-8 locale you intend to use, for example:

```
$ localedef -v -c -i de_DE -f UTF8 /usr/share/locale/de_DE.UTF-8
```

You must give an absolute pathname here; otherwise localedef creates the locale in a directory named “de\_DE.utf8”, which does not work with XFree86-4.0.1.

You typically don’t need to create locales named “de” or “fr” without country suffix, because these locales are normally only used by the LANGUAGE variable and not by the LC\_\* variables, and LANGUAGE is only used as an override for LC\_MESSAGES.

## Content



- Files & the kernel
- Ttys & the kernel
- General data conversion
- Locale environment ...
- Creating the locale ...
- Adding support to ...



Stop





## 3.6 Adding support to the C library

The glibc-2.2 will support multibyte locales, in particular the UTF-8 locales created above. But glibc-2.1.x does not really support it. Therefore the only real effect of the above creation of the `/usr/share/locale/de_DE.UTF-8/*` files is that `'setlocale(LC_ALL,"")'` will return `"de_DE.UTF-8"`, according to your environment variables, instead of stripping off the `".UTF-8"` suffix.

To add support for the UTF-8 locale, you should build and install the following three libraries:

- `'libutf8_plugin.so'`, from `libutf8-0.7.3.tar.gz`,
- `'libiconv_plugin.so'`, from `libiconv-1.3.tar.gz`,
- `'libintl_plugin.so'`, from `gettext-0.10.35-iconv.tar.gz`.

Then you can set the `LD_PRELOAD` environment variable to point to the installed libraries:

```
$ export LD_PRELOAD=/usr/local/lib/libutf8_plugin.so:\
    /usr/local/lib/libiconv_plugin.so:\
    /usr/local/lib/libintl_plugin.so
```

Then, in every program launched with this environment variable set, the functions in `libutf8_plugin.so`, `libiconv_plugin.so` and `libintl_plugin.so` will override the original ones in `/lib/libc.so.6`. For more info about `LD_PRELOAD`, see `"man 8 ld.so"`.

This entire thing will not be necessary any more once glibc-2.2 comes out.

## Content



Files & the kernel  
Ttys & the kernel  
General data conversion  
Locale environment ...  
Creating the locale ...  
Adding support to ...



Stop



## 4 Specific applications

4.1	Networking	26
4.1.1	telnet	26
4.1.2	kermit	27
4.2	Browsers	27
4.2.1	Netscape	27
4.2.2	Mozilla	28
4.2.3	lynx	28
4.2.4	w3m	29
4.2.5	Test pages	30
4.3	Editors	30
4.3.1	yudit	30
4.3.2	vim	31
4.3.3	emacs	31
4.3.4	xemacs	36
4.3.5	nedit	37
4.3.6	xedit	38
4.3.7	axe	38
4.3.8	pico	38
4.3.9	mined98	38
4.4	Mailers	39
4.4.1	pine	39
4.4.2	kmail	40
4.4.3	Netscape Communicator	40
4.4.4	emacs (rmail, vm)	41
4.4.5	mutt	41

### Content



Networking

Browsers

Editors

Mailers

Text processing

Databases

Other text-mode ...

Other X11 applications



Stop



4.4.6	exmh	41
4.5	Text processing	42
4.5.1	groff	42
4.5.2	T <sub>E</sub> X	42
4.6	Databases	43
4.6.1	PostgreSQL	43
4.7	Other text-mode applications	43
4.7.1	less	43
4.7.2	lv	43
4.7.3	expand, wc	44
4.7.4	col, colcrt, colrm, column, rev, ul	44
4.7.5	figlet	44
4.7.6	Base utilities	44
4.8	Other X11 applications	63

## 4.1 Networking

### 4.1.1 telnet

In some installations, telnet is not 8-bit clean by default. In order to be able to send Unicode keystrokes to the remote host, you need to set telnet into “outbinary” mode. There are two ways to do this:

```
$ telnet -L <host>
```

and

## Content



Networking

Browsers

Editors

Mailers

Text processing

Databases

Other text-mode ...

Other X11 applications



Stop



```
$ telnet
telnet> set outbinary
telnet> open <host>
```

#### 4.1.2 kermit

The communications program C-Kermit <http://www.columbia.edu/kermit/ckermi.html>, (an interactive tool for connection setup, telnet, file transfer, with support for TCP/IP and serial lines), in versions 7.0 or newer, understands the file and transfer encodings UTF-8 and UCS-2, and understands the terminal encoding UTF-8, and converts between these encodings and many others. Documentation of these features can be found in <http://www.columbia.edu/kermit/ckermi2.html#x6.6>.

### 4.2 Browsers

#### 4.2.1 Netscape

Netscape 4.05 or newer can display HTML documents in UTF-8 encoding. All a document needs is the following line between the `<head>` and `</head>` tags:

```
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
```

Netscape 4.05 or newer can also display HTML and text files in UCS-2 encoding with byte-order mark.

<http://www.netscape.com/computing/download/>

## Content



Networking

Browsers

Editors

Mailers

Text processing

Databases

Other text-mode ...

Other X11 applications



Stop



### 4.2.2 Mozilla

Mozilla milestone M16 has much better internationalization than Netscape 4. It can display HTML documents in UTF-8 encoding with support for more languages. Alas, there is a cosmetic problem with CJK fonts: some glyphs can be bigger than the line's height, thus overlapping the previous or next line.

<http://www.mozilla.org/>

### 4.2.3 lynx

lynx-2.8 has an options screen (key 'O') which permits to set the display character set. When running in an xterm or Linux console in UTF-8 mode, set this to "UNICODE UTF-8". Note that for this setting to take effect in the current browser session, you have to confirm on the "Accept Changes" field, and for this setting to take effect in future browser sessions, you have to enable the "Save options to disk" field and then confirm it on the "Accept Changes" field.

Now, again, all a document needs is the following line between the <head> and </head> tags:

```
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
```

When you are viewing text files in UTF-8 encoding, you also need to pass the command-line option `-assume_local_charset=UTF-8` (affects only `file://...` URLs) or `-assume_charset=UTF-8` (affects all URLs). In lynx-2.8.2 you can alternatively, in the options screen (key 'O'), change the assumed document character set to "utf-8".

There is also an option in the options screen, to set the "preferred document character set". But it has no effect, at least with `file://...` URLs and with `http://...` URLs served by apache-1.3.0.

## Content



Networking

Browsers

Editors

Mailers

Text processing

Databases

Other text-mode ...

Other X11 applications



Stop



There is a spacing and line-breaking problem, however. (Look at the russian section of [x-utf8.html](#), or at [utf-8-demo.txt](#).)

Also, in lynx-2.8.2, configured with `-enable-prettysrc`, the nice colour scheme does not work correctly any more when the display character set has been set to “UNICODE UTF-8”. This is fixed by a simple patch [lynx282.diff](#).

The Lynx developers say: “For any serious use of UTF-8 screen output with lynx, compiling with slang lib and `-DSLANG_MBCS_HACK` is still recommended.”

Latest stable release: <ftp://ftp.gnu.org/pub/gnu/lynx/lynx-2.8.2.tar.gz>

<http://lynx.isc.org/>

General home page: <http://lynx.browser.org/>

<http://www.slcc.edu/lynx/>

Newer development shapshots: <http://lynx.isc.org/current/>, <ftp://lynx.isc.org/current/>

#### 4.2.4 w3m

w3m by Akinori Ito <http://ei5nazha.yz.yamagata-u.ac.jp/~aito/w3m/eng/> is a text mode browser for HTML pages and plain-text files. Its layout of HTML tables, enumerations etc. is much prettier than lynx’ one. w3m can also be used as a high quality HTML to plain text converter.

w3m 0.1.10 has command line options for the three major Japanese encodings, but can also be used for UTF-8 encoded files. Without command line options, you often have to press Ctrl-L to refresh the display, and line breaking in Cyrillic and CJK paragraphs is not good.

To fix this, by Hironori Sakamoto has a patch <http://www2u.biglobe.ne.jp/~hsaka/w3m/> which adds UTF-8 as display encoding.

## Content



Networking

Browsers

Editors

Mailers

Text processing

Databases

Other text-mode ...

Other X11 applications



Stop



## 4.2.5 Test pages

Some test pages for browsers can be found at the pages of Alan Wood <http://www.hclrss.demon.co.uk/unicode/#links> and James Kass <http://home.att.net/~jameskass/>.

## 4.3 Editors

### 4.3.1 yudit

yudit by Gáspár Sinai <http://czyborra.com/yudit/> is a first-class unicode text editor for the X Window System. It supports simultaneous processing of many languages, input methods, conversions for local character standards. It has facilities for entering text in all languages with only an English keyboard, using keyboard configuration maps.

It can be compiled in three versions: Xlib GUI, KDE GUI, or Motif GUI.

Customization is very easy. Typically you will first customize your font. From the font menu I chose “Unicode”. Then, since the command “xlsfonts ‘\*-iso10646-1’” still showed some ambiguity, I chose a font size of 13 (to match Markus Kuhn’s 13-pixel fixed font).

Next, you will customize your input method. The input methods “Straight”, “Unicode” and “SGML” are most remarkable. For details about the other built-in input methods, look in `/usr/local/share/yudit/data/`.

To make a change the default for the next session, edit your `$HOME/.yuditrc` file.

The general editor functionality is limited to editing, cut & paste and search & replace. No undo.

## Content



Networking

Browsers

Editors

Mailers

Text processing

Databases

Other text-mode ...

Other X11 applications



## Stop



yudit can display text using a TrueType font; see section “TrueType fonts” above. The Bitstream Cyberbit gives good results. For yudit to find the font, symlink it to `/usr/local/share/yudit/data/cyberbit.ttf`.

### 4.3.2 vim

vim (as of version 6.0b) has good support for UTF-8: when started in an UTF-8 locale, it assumes UTF-8 encoding for the console and the text files being edited. It supports double-wide (CJK) characters as well and combining characters and therefore fits perfectly into UTF-8 enabled xterm.

Installation: Download from <http://www.vim.org/>. After unpacking the four parts, edit `src/Makefile` to include the `--with-features=big` option. This will turn on the features `FEAT_MBYTE`, `FEAT_RIGHTLEFT`, `FEAT_LANGMAP`. Then do “make” and “make install”.

### 4.3.3 emacs

First of all, you should read the section “International Character Set Support” (node “International”) in the Emacs manual. In particular, note that you need to start Emacs using the command

```
$ emacs -fn fontset-standard
```

so that it will use a font set comprising a lot of international characters.

In the short term, there are two packages for using UTF-8 in Emacs. None of them needs recompiling Emacs.

## Content



Networking

Browsers

Editors

Mailers

Text processing

Databases

Other text-mode ...

Other X11 applications



Stop





- The emacs-utf package <http://www.cs.ust.hk/faculty/otfried/Mule/> by Otfried Cheong provides a “unicode-utf8” encoding to Emacs.
- The oc-unicode package <http://www.cs.ust.hk/faculty/otfried/Mule/>, by Otfried Cheong, an extension of the Mule-UCS package <ftp://etlport.etl.go.jp/pub/mule/Mule-UCS/Mule-UCS-0.70.tar.gz> (mirrored at <http://riksun.riken.go.jp/archives/misc/mule/Mule-UCS/Mule-UCS-0.70.tar.gz>) by Miyashita Hisashi, provides a “utf-8” encoding to Emacs.

You can use either of these packages, or both together. The advantages of the emacs-utf “unicode-utf8” encoding are: it loads faster, and it deals better with combining characters (important for Thai). The advantage of the Mule-UCS / oc-unicode “utf-8” encoding is: it can apply to a process buffer (such as M-x shell), not only to loading and saving of files; and it respects the widths of characters better (important for Ethiopian). However, it is less reliable: After heavy editing of a file, I have seen some Unicode characters replaced with U+FFFD after the file was saved.

To install the emacs-utf package, compile the program “utf2mule” and install it somewhere in your \$PATH, also install unicode.el, muleuni-1.el, unicode-char.el somewhere. Then add the lines

```
(setq load-path (cons "/home/user/somewhere/emacs" load-path))
(if (not (string-match "XEmacs" emacs-version))
    (progn
      (require 'unicode)
      ;(setq unicode-data-path ".../UnicodeData-3.0.0.txt")
      (if (eq window-system 'x)
          (progn
            (setq fontset12
```

## Content



Networking

Browsers

Editors

Mailers

Text processing

Databases

Other text-mode ...

Other X11 applications



Stop



```

(create-fontset-from-fontset-spec
  "-misc-fixed-medium-r-normal-*12-*-*-*-*-*
    fontset-standard"))
(setq fontset13
  (create-fontset-from-fontset-spec
    "-misc-fixed-medium-r-normal-*13-*-*-*-*-*
      fontset-standard"))
(setq fontset14
  (create-fontset-from-fontset-spec
    "-misc-fixed-medium-r-normal-*14-*-*-*-*-*
      fontset-standard"))
(setq fontset15
  (create-fontset-from-fontset-spec
    "-misc-fixed-medium-r-normal-*15-*-*-*-*-*
      fontset-standard"))
(setq fontset16
  (create-fontset-from-fontset-spec
    "-misc-fixed-medium-r-normal-*16-*-*-*-*-*
      fontset-standard"))
(setq fontset18
  (create-fontset-from-fontset-spec
    "-misc-fixed-medium-r-normal-*18-*-*-*-*-*
      fontset-standard"))
; (set-default-font fontset15)
)))

```

to your \$HOME/.emacs file. To activate any of the font sets, use the Mule menu item “Set Font/FontSet” or Shift-down-mouse-1. Currently the font sets with height 15 and

## Content



Networking

Browsers

Editors

Mailers

Text processing

Databases

Other text-mode ...

Other X11 applications



Stop



13 have the best Unicode coverage, due to Markus Kuhn's 9x15 and 6x13 fonts. To designate a font set as the initial font set for the first frame at startup, uncomment the `set-default-font` line in the code snippet above.

To install the `oc-unicode` package, execute the command

```
$ emacs -batch -l oc-comp.el
```

and install the resulting file `un-define.elc`, as well as `oc-unicode.el`, `oc-charsets.el`, `oc-tools.el`, somewhere. Then add the lines

```
(setq load-path (cons "/home/user/somewhere/emacs" load-path))
(if (not (string-match "XEmacs" emacs-version))
    (progn
      (require 'oc-unicode)
      ;(setq unicode-data-path ".../UnicodeData-3.0.0.txt")
      (if (eq window-system 'x)
          (progn
            (setq fontset12
                  (oc-create-fontset
                   "-misc-fixed-medium-r-normal-*-12-***-***-
                                                           fontset-standard"
                   "-misc-fixed-medium-r-normal-ja-12-*-iso10646-*"))
            (setq fontset13
                  (oc-create-fontset
                   "-misc-fixed-medium-r-normal-*-13-***-***-
                                                           fontset-standard"
                   "-misc-fixed-medium-r-normal-ja-13-*-iso10646-*"))
            (setq fontset14
```

## Content



Networking

Browsers

Editors

Mailers

Text processing

Databases

Other text-mode ...

Other X11 applications



Stop



```

(oc-create-fontset
  "-misc-fixed-medium-r-normal-*-14-*-*-*-*-*"
                                fontset-standard"
  "-misc-fixed-medium-r-normal-ja-14-*-*iso10646-*"))
(setq fontset15
  (oc-create-fontset
    "-misc-fixed-medium-r-normal-*-15-*-*-*-*-*"
                                fontset-standard"
    "-misc-fixed-medium-r-normal-ja-15-*-*iso10646-*"))
(setq fontset16
  (oc-create-fontset
    "-misc-fixed-medium-r-normal-*-16-*-*-*-*-*"
                                fontset-standard"
    "-misc-fixed-medium-r-normal-ja-16-*-*iso10646-*"))
(setq fontset18
  (oc-create-fontset
    "-misc-fixed-medium-r-normal-*-18-*-*-*-*-*"
                                fontset-standard"
    "-misc-fixed-medium-r-normal-ja-18-*-*iso10646-*"))
; (set-default-font fontset15)
))))

```

to your \$HOME/.emacs file. You can choose your appropriate font set as with the emacs-utf package.

In order to open an UTF-8 encoded file, you will type

```

M-x universal-coding-system-argument unicode-utf8 RET
M-x find-file filename RET

```

## Content



Networking

Browsers

Editors

Mailers

Text processing

Databases

Other text-mode ...

Other X11 applications



Stop



or

```
C-x RET c unicode-utf8 RET
C-x C-f filename RET
```

(or utf-8 instead of unicode-utf8, if you prefer oc-unicode/Mule-UCS).

In order to start a shell buffer with UTF-8 I/O, you will type

```
M-x universal-coding-system-argument utf-8 RET
M-x shell RET
```

(This works with oc-unicode/Mule-UCS only.)

Note that all this works with Emacs in windowing mode only, not in terminal mode.

Richard Stallman plans to add integrated UTF-8 support to Emacs in the long term, and so does the XEmacs developers group.

#### 4.3.4 xemacs

(This section is written by Gilbert Baumann.)

Here is how to teach XEmacs (20.4 configured with MULE) the UTF-8 encoding. Unfortunately you need its sources to be able to patch it.

First you need these files provided by Tomohiko Morioka:

<http://turnbull.sk.tsukuba.ac.jp/Tools/XEmacs/xemacs-21.0-b55-emc-b55-ucs.diff>  
and <http://turnbull.sk.tsukuba.ac.jp/Tools/XEmacs/xemacs-ucs-conv-0.1.tar.gz>

The .diff is a diff against the C sources. The tar ball is elisp code, which provides lots of code tables to map to and from Unicode. As the name of the diff file suggests it is

## Content



Networking

Browsers

Editors

Mailers

Text processing

Databases

Other text-mode ...

Other X11 applications



Stop



against XEmacs-21; I needed to help ‘patch’ a bit. The most notable difference to my XEmacs-20.4 sources is that file-coding.[ch] was called mule-coding.[ch].

For those unfamiliar with the XEmacs-MULE stuff (as I am) a quick guide:

What we call an encoding is called by MULE a ‘coding-system’. The most important commands are:

```
M-x set-file-coding-system
```

```
M-x set-buffer-process-coding-system [comint buffers]
```

and the variable ‘file-coding-system-alist’, which guides ‘find-file’ to guess the encoding used. After stuff was running, the very first thing I did was this.

This code looks into the special mode line introduced by -\*- somewhere in the first 600 bytes of the file about to opened; if now there is a field “Encoding: xyz;” and the xyz encoding (“coding system” in Emacs speak) exists, choose that. So now you could do e.g.

```
;;; -*- Mode: Lisp; Syntax: Common-Lisp; Package: CLEX;  
                                     Encoding: utf-8; -*-
```

and XEmacs goes into utf-8 mode here.

After everything was running I defined \u03BB (greek lambda) as a macro like:

```
(defmacro \u03BB (x) ‘(lambda .,x))
```

## 4.3.5 nedit

## Content



Networking

Browsers

Editors

Mailers

Text processing

Databases

Other text-mode ...

Other X11 applications



Stop



### 4.3.6 xedit

With XFree86-4.0.1, xedit is able to edit UTF-8 files if you set the locale accordingly (see above), and add the line “Xedit\*international: true” to your \$HOME/.Xdefaults file.

### 4.3.7 axe

As of version 6.1.2, aXe supports only 8-bit locales. If you add the line “Axe\*international: true” to your \$HOME/.Xdefaults file, it will simply dump core.

### 4.3.8 pico

### 4.3.9 mined98

mined98 is a small text editor by Michiel Huisjes, Achim Müller and Thomas Wolff. <http://www.inf.fu-berlin.de/~wolff/mined.html> It lets you edit UTF-8 or 8-bit encoded files, in an UTF-8 or 8-bit xterm. It also has powerful capabilities for entering Unicode characters.

mined lets you edit both 8-bit encoded and UTF-8 encoded files. By default it uses an autodetection heuristic. If you don't want to rely on heuristics, pass the command-line option `-u` when editing an UTF-8 file, or `+u` when editing an 8-bit encoded file. You can change the interpretation at any time from within the editor: It displays the encoding (“L:h” for 8-bit, “U:h” for UTF-8) in the menu line. Click on the first of these characters to change it.

mined knows about double-width and combining characters and displays them correctly.

## Content



Networking

Browsers

Editors

Mailers

Text processing

Databases

Other text-mode ...

Other X11 applications



Stop



mined also has very nice pull-down menus. Alas, the “Home”, “End”, “Delete” keys do not work.

## 4.4 Mailers

MIME: RFC 2279 defines UTF-8 as a MIME charset, which can be transported under the 8bit, quoted-printable and base64 encodings. The older MIME UTF-7 proposal (RFC 2152) is considered to be deprecated and should not be used any further.

Mail clients released after January 1, 1999, should be capable of sending and displaying UTF-8 encoded mails, otherwise they are considered deficient. But these mails have to carry the MIME labels

```
Content-Type: text/plain; charset=UTF-8
```

```
Content-Transfer-Encoding: 8bit
```

Simply piping an UTF-8 file into “mail” without caring about the MIME labels will not work.

Mail client implementors should take a look at <http://www.imc.org/imc-intl/> and <http://www.imc.org/mail-i18n.html>.

Now about the individual mail clients (or “mail user agents”):

### 4.4.1 pine

The situation for an unpatched pine version 4.10 is as follows.

Pine does not do character set conversions. But it allows you to view UTF-8 mails in an UTF-8 text window (Linux console or xterm).

## Content



Networking

Browsers

Editors

Mailers

Text processing

Databases

Other text-mode ...

Other X11 applications



Stop





Normally, Pine will warn about different character sets each time you view an UTF-8 encoded mail. To get rid of this warning, choose S (setup), then C (config), then change the value of “character-set” to UTF-8. This option will not do anything, except to reduce the warnings, as Pine has no built-in knowledge of UTF-8.

Also note that Pine’s notion of Unicode characters is pretty limited: It will display Latin and Greek characters, but not other kinds of Unicode characters.

A patch by Robert Brady <rwbl97@ecs.soton.ac.uk> <http://www.ents.susu.soton.ac.uk/~robert/pine-utf8-0.1.diff> adds UTF-8 support to Pine. With this patch, it decodes and prints headers and bodies properly. The patch depends on the GNOME libunicode <http://cvs.gnome.org/lxr/source/libunicode/>.

However, alignment remains broken in many places; replying to a mail does not cause the character set to be converted as appropriate; and the editor, pico, cannot deal with multibyte characters.

#### 4.4.2 kmail

kmail (as of KDE 1.0) does not support UTF-8 mails at all.

#### 4.4.3 Netscape Communicator

Netscape Communicator’s Messenger can send and display mails in UTF-8 encoding, but it needs a little bit of manual user intervention.

To send an UTF-8 encoded mail: After opening the “Compose” window, but before starting to compose the message, select from the menu “View -> Character Set -> Unicode (UTF-8)”. Then compose the message and send it.

## Content



Networking

Browsers

Editors

Mailers

Text processing

Databases

Other text-mode ...

Other X11 applications



Stop



When you receive an UTF-8 encoded mail, Netscape unfortunately does not display it in UTF-8 right away, and does not even give a visual clue that the mail was encoded in UTF-8. You have to manually select from the menu “View -> Character Set -> Unicode (UTF-8)”.

For displaying UTF-8 mails, Netscape uses different fonts. You can adjust your font settings in the “Edit -> Preferences -> Fonts” dialog; choose the “Unicode” font category.

#### 4.4.4 emacs (rmail, vm)

#### 4.4.5 mutt

mutt-1.0, as available from <http://www.mutt.org/>, contains only rudimentary UTF-8 support. For full UTF-8 support, there are patches by Edmund Grimley Evans at <http://www.rano.demon.co.uk/mutt.html>.

#### 4.4.6 exmh

exmh 2.1.2 with Tk8.4a1 can recognize and correctly display UTF-8 mails (without CJK characters) if you add the following lines to your `$HOME/.Xdefaults` file.

```
!  
! Exmh  
!  
exmh.mimeCharsets:                utf-8  
exmh.mime_utf-8_registry:         iso10646
```

## Content



Networking

Browsers

Editors

Mailers

Text processing

Databases

Other text-mode ...

Other X11 applications



Stop



```
exmh.mime_utf-8_encoding:      1
exmh.mime_utf-8_plain_families: fixed
exmh.mime_utf-8_fixed_families: fixed
exmh.mime_utf-8_proportional_families: fixed
exmh.mime_utf-8_title_families: fixed
```

## 4.5 Text processing

### 4.5.1 groff

groff 1.16, the GNU implementation of the traditional Unix text processing system troff/nroff, can output UTF-8 formatted text. Simply use `'groff -Tutf8'` instead of `'groff -Tlatin1'` or `'groff -Tascii'`.

### 4.5.2 T<sub>E</sub>X

The teT<sub>E</sub>X 0.9 (and newer) distribution contains an Unicode adaptation of T<sub>E</sub>X, called Omega (<http://www.gutenberg.eu.org/omega/>, <ftp://ftp.ens.fr/pub/tex/yannis/omega>). Together with the unicode.tex file contained in utf8-tex-0.1.tar.gz it enables you to use UTF-8 encoded sources as input for T<sub>E</sub>X. A thousand of Unicode characters are currently supported.

All that changes is that you run `'omega'` (instead of `'tex'`) or `'lambda'` (instead of `'latex'`), and insert the following lines at the head of your source input.

```
\ocp\TeXUTF=inutf8
\InputTranslation currentfile \TeXUTF
```

## Content



Networking

Browsers

Editors

Mailers

Text processing

Databases

Other text-mode ...

Other X11 applications



Stop



`\input unicode`

Other maybe related links: <http://www.dante.de/projekte/nts/NTS-FAQ.html>, <ftp://ftp.dante.de/pub/tex/language/chinese/CJK/>.

## 4.6 Databases

### 4.6.1 PostgreSQL

PostgreSQL 6.4 or newer can be built with the configuration option `--with-mb=UNICODE`.

## 4.7 Other text-mode applications

### 4.7.1 less

With <http://www.flash.net/~marknu/less/less-358.tar.gz> you can browse UTF-8 encoded text files in an UTF-8 xterm or console. Make sure that the environment variable `LESSCHARSET` is not set (or is set to `utf-8`). If you also have a `LESSKEY` environment variable set, also make sure that the file it points to does not define `LESSCHARSET`. If necessary, regenerate this file using the `'lesskey'` command, or unset the `LESSKEY` environment variable.

### 4.7.2 lv

lv-4.21 by Tomio Narita <http://www.mt.cs.keio.ac.jp/person/narita/lv/> is a file viewer with builtin character set converters. To view UTF-8 files in an UTF-8 console, use

## Content



Networking

Browsers

Editors

Mailers

Text processing

Databases

Other text-mode ...

Other X11 applications



Stop



“lv -Au8”. But it can also be used to view files in other CJK encodings in an UTF-8 console.

There is a small glitch: lv turns off xterm’s cursor and doesn’t turn it on again.

#### 4.7.3 expand, wc

Get the GNU textutils-2.0 and apply the patch textutils-2.0.diff, then configure, add `#define HAVE_MBRTOWC 1`, `#define HAVE_FGETWC 1`, `#define HAVE_FPUTWC 1` to config.h. In src/Makefile, modify CFLAGS and LDFLAGS so that they include the directories where libutf8 is installed. Then rebuild.

#### 4.7.4 col, colcrt, colrm, column, rev, ul

Get the util-linux-2.9y package, configure it, then define ENABLE\_WIDECHAR in defines.h, change the “`#if 0`” to “`#if 1`” in lib/widechar.h. In text-utils/Makefile, modify CFLAGS and LDFLAGS so that they include the directories where libutf8 is installed. Then rebuild.

#### 4.7.5 figlet

figlet 2.2 has an option for UTF-8 input: “`figlet -C utf8`”

#### 4.7.6 Base utilities

The Li18nux list of commands and utilities that ought to be made interoperable with UTF-8 is as follows. Useful information needs to get added here; I just didn’t get around it yet :-)

## Content



Networking

Browsers

Editors

Mailers

Text processing

Databases

Other text-mode ...

Other X11 applications



Stop



As of glibc-2.2, regular expressions will only work for 8-bit characters. In an UTF-8 locale, regular expressions that contain non-ASCII characters or that expect to match a single multibyte character with “.” will not work. This affects all commands and utilities listed below.

- alias  
No info available yet.
- ar  
No info available yet.
- arch  
No info available yet.
- arp  
No info available yet.
- asa  
No info available yet.
- at  
As of at-3.1.8: The two uses of isalnum in at.c are invalid and should be replaced with a use of quotearg.c or an exclude list of the (fixed) list of shell metacharacters. The two uses of %8s in at.c and atd.c are invalid and should become arbitrary length.
- basename  
As of sh-utils-2.0i: OK.

## Content



Networking

Browsers

Editors

Mailers

Text processing

Databases

Other text-mode ...

Other X11 applications



Stop



- batch  
No info available yet.
- bc  
No info available yet.
- bg  
No info available yet.
- bunzip2  
No info available yet.
- bzip2  
No info available yet.
- bzip2recover  
No info available yet.
- cal  
No info available yet.
- cat  
No info available yet.
- cd  
No info available yet.
- cflow  
No info available yet.

## Content



Networking  
Browsers  
Editors  
Mailers  
Text processing  
Databases  
Other text-mode ...  
Other X11 applications



Stop



- `chgrp`  
As of fileutils-4.0u: OK.
- `chmod`  
As of fileutils-4.0u: OK.
- `chown`  
As of fileutils-4.0u: OK.
- `chroot`  
As of sh-utils-2.0i: OK.
- `cksum`  
As of textutils-2.0e: OK.
- `clear`  
No info available yet.
- `cmp`  
No info available yet.
- `col`  
No info available yet.
- `comm`  
No info available yet.
- `command`  
No info available yet.

## Content



Networking  
Browsers  
Editors  
Mailers  
Text processing  
Databases  
Other text-mode ...  
Other X11 applications



Stop





- compress  
No info available yet.
- cp  
As of fileutils-4.0u: OK.
- cpio  
No info available yet.
- csplit  
No info available yet.
- ctags  
No info available yet.
- crontab  
No info available yet.
- cut  
No info available yet.
- date  
As of sh-utils-2.0i: OK.
- dd  
As of fileutils-4.0u: The conv=lcase, conv=ucase options don't work correctly.
- depmod  
No info available yet.

## Content



Networking  
Browsers  
Editors  
Mailers  
Text processing  
Databases  
Other text-mode ...  
Other X11 applications



## Stop



- `df`  
As of `fileutils-4.0u`: OK.
- `diff`  
As of `diffutils-2.7` (1994): `diff` is not locale aware; the `--side-by-side` mode therefore doesn't compute column width correctly, not even in ISO-8859-1 locales.
- `diff3`  
No info available yet.
- `dirname`  
As of `sh-utils-2.0i`: OK.
- `domainname`  
No info available yet.
- `du`  
As of `fileutils-4.0u`: OK.
- `echo`  
As of `sh-utils-2.0i`: OK.
- `env`  
As of `sh-utils-2.0i`: OK.
- `expand`  
No info available yet.

## Content



Networking

Browsers

Editors

Mailers

Text processing

Databases

Other text-mode ...

Other X11 applications



Stop



- `expr`  
As of `sh-utils-2.0i`: The operators “`match`”, “`substr`”, “`index`”, “`length`” don’t work correctly.
- `false`  
As of `sh-utils-2.0i`: OK.
- `fc`  
No info available yet.
- `fg`  
No info available yet.
- `file`  
No info available yet.
- `find`  
As of `findutils-4.1.5`: The “`-ok`” option is not internationalized; a patch has been submitted to the maintainer. The “`-iregex`” does not work correctly; this needs a fix in function `find/parser.c:insert_regex`.
- `fort77`  
No info available yet.
- `ftp[BSD]`  
No info available yet.

## Content



Networking

Browsers

Editors

Mailers

Text processing

Databases

Other text-mode ...

Other X11 applications



Stop



- fuser  
No info available yet.
- getconf  
No info available yet.
- getopts  
No info available yet.
- gunzip  
No info available yet.
- gzip  
gzip-1.3 is UTF-8 capable, but it uses only English messages in ASCII charset. Proper internationalization would require: Use gettext. Call setlocale. In function check\_ofname (file gzip.c), use the function rpmatch from GNU text/sh/fileutils instead of asking for “y” or “n”. The use of strlen in gzip.c:852 is wrong, needs to use the function mbswidth.
- hash  
No info available yet.
- head  
No info available yet.
- hostname  
As of sh-utils-2.0i: OK.

## Content



Networking

Browsers

Editors

Mailers

Text processing

Databases

Other text-mode ...

Other X11 applications



Stop



- id  
As of sh-utils-2.0i: OK.
- ifconfig  
No info available yet.
- imake  
No info available yet.
- insmod  
No info available yet.
- ipchains  
No info available yet.
- ipcrm  
No info available yet.
- ipcs  
No info available yet.
- ipmasqadm  
No info available yet.
- jobs  
No info available yet.
- join  
No info available yet.

## Content



Networking  
Browsers  
Editors  
Mailers  
Text processing  
Databases  
Other text-mode ...  
Other X11 applications



Stop



- kerneld  
No info available yet.
- kill  
No info available yet.
- killall  
No info available yet.
- ksyms  
No info available yet.
- ldd  
No info available yet.
- less  
No complete info available yet.
- lex  
No info available yet.
- lilo  
No info available yet.
- ln  
As of fileutils-4.0u: OK.
- loadkeys  
No info available yet.

## Content



Networking  
Browsers  
Editors  
Mailers  
Text processing  
Databases  
Other text-mode ...  
Other X11 applications



Stop



- logger  
No info available yet.
- logname  
As of sh-utils-2.0i: OK.
- lp  
No info available yet.
- lpc[BSD]  
No info available yet.
- lpr[BSD]  
No info available yet.
- lprm[BSD]  
No info available yet.
- lpq[BSD]  
No info available yet.
- ls  
As of fileutils-4.0y: OK.
- lsmmod  
No info available yet.
- m4  
No info available yet.

## Content



Networking  
Browsers  
Editors  
Mailers  
Text processing  
Databases  
Other text-mode ...  
Other X11 applications



Stop



- mailx  
No info available yet.
- make  
No info available yet.
- mesg  
No info available yet.
- mkdir  
As of fileutils-4.0u: OK.
- mkfifo  
As of fileutils-4.0u: OK.
- mkfs  
No info available yet.
- mkswap  
No info available yet.
- modprobe  
No info available yet.
- more  
No info available yet.
- mount  
No info available yet.

## Content



Networking  
Browsers  
Editors  
Mailers  
Text processing  
Databases  
Other text-mode ...  
Other X11 applications



Stop





- mv  
As of fileutils-4.0u: OK.
- netstat  
No info available yet.
- newgrp  
No info available yet.
- nice  
As of sh-utils-2.0i: OK.
- nl  
No info available yet.
- nohup  
As of sh-utils-2.0i: OK.
- nslookup  
No info available yet.
- nm  
No info available yet.
- od  
No info available yet.
- passwd[BSD]  
No info available yet.

## Content



Networking  
Browsers  
Editors  
Mailers  
Text processing  
Databases  
Other text-mode ...  
Other X11 applications



Stop



- paste  
No info available yet.
- patch  
No info available yet.
- pathchk  
As of sh-utils-2.0i: OK.
- ping  
No info available yet.
- printf  
As of sh-utils-2.0i: OK.
- pr  
No info available yet.
- ps  
No info available yet.
- pwd  
As of sh-utils-2.0i: OK.
- read  
No info available yet.
- rdev  
No info available yet.

## Content



Networking  
Browsers  
Editors  
Mailers  
Text processing  
Databases  
Other text-mode ...  
Other X11 applications



Stop



- reboot  
No info available yet.
- renice  
No info available yet.
- rm  
As of fileutils-4.0u: OK.
- rmdir  
As of fileutils-4.0u: OK.
- rmmmod  
No info available yet.
- shar[BSD]  
No info available yet.
- shutdown  
No info available yet.
- sleep  
As of sh-utils-2.0i: OK.
- split  
No info available yet.
- strings  
No info available yet.

## Content



Networking  
Browsers  
Editors  
Mailers  
Text processing  
Databases  
Other text-mode ...  
Other X11 applications



Stop



- strip  
No info available yet.
- stty  
As of sh-utils-2.0i: The string “<undef>” should not be translated; this needs a fix in function stty.c:visible.
- su[BSD]  
No info available yet.
- sum  
As of textutils-2.0e: OK.
- tac  
No info available yet.
- tail  
No info available yet.
- talk  
No info available yet.
- tar  
As of tar-1.13.17: OK, if user and group names are always ASCII.
- tcsh  
No info available yet.

## Content



Networking  
Browsers  
Editors  
Mailers  
Text processing  
Databases  
Other text-mode ...  
Other X11 applications



Stop



- tee  
As of sh-utils-2.0i: OK.
- telnet  
No info available yet.
- test  
As of sh-utils-2.0i: OK.
- time  
No info available yet.
- touch  
As of fileutils-4.0u: OK.
- tput  
No info available yet.
- tr  
No info available yet.
- true  
As of sh-utils-2.0i: OK.
- tsort  
No info available yet.
- tty  
As of sh-utils-2.0i: OK.

## Content



Networking  
Browsers  
Editors  
Mailers  
Text processing  
Databases  
Other text-mode ...  
Other X11 applications



Stop



- type  
No info available yet.
- ulimit  
No info available yet.
- unmask  
No info available yet.
- umount  
No info available yet.
- unalias  
No info available yet.
- uname  
As of sh-utils-2.0i: OK.
- uncompress  
No info available yet.
- unexpand  
No info available yet.
- uniq  
No info available yet.
- unlink  
No info available yet.

## Content



Networking  
Browsers  
Editors  
Mailers  
Text processing  
Databases  
Other text-mode ...  
Other X11 applications



Stop



- uuencode  
No info available yet.
- uuencode  
No info available yet.
- wait  
No info available yet.
- wc  
As of textutils-2.0e: wc cannot count characters; a patch has been submitted to the maintainer.
- who  
As of sh-utils-2.0i: OK.
- wish  
No info available yet.
- write  
No info available yet.
- xargs  
As of findutils-4.1.5: The program uses strstr; a patch has been submitted to the maintainer.
- yacc

## Content



Networking

Browsers

Editors

Mailers

Text processing

Databases

Other text-mode ...

Other X11 applications



Stop



No info available yet.

- zcat

No info available yet.

## 4.8 Other X11 applications

Owen Taylor is currently developing a library for rendering multilingual text, called pango. <http://www.labs.redhat.com/~otaylor/pango/>, <http://www.pango.org/>.

**Content**



Networking

Browsers

Editors

Mailers

Text processing

Databases

Other text-mode ...

Other X11 applications



**Stop**





## 5 Printing

5.1	Printing using TrueType fonts	64
5.1.1	uniprint	65
5.1.2	wprint	65
5.1.3	Comparison	65
5.2	The classical approach	65
5.2.1	T <sub>E</sub> X, Omega	66
5.2.2	DocBook	66
5.2.3	groff -Tps	66
5.3	No luck with...	66
5.3.1	Netscape's "Print..."	66
5.3.2	Mozilla's "Print..."	66
5.3.3	html2ps	67
5.3.4	a2ps	67
5.3.5	enscript	67

Since Postscript itself does not support Unicode fonts, the burden of Unicode support in printing is on the program creating the Postscript document, not on the Postscript renderer.

The existing Postscript fonts I've seen—.pfa/.pfb/.afm/.pfm/.gsf—support only a small range of glyphs and are not Unicode fonts.

### 5.1 Printing using TrueType fonts

Both the uniprint and wprint programs produce good printed output for Unicode plain text. They require a TrueType font; see section "TrueType fonts" above. The Bitstream Cyberbit gives good results.

## Content



Printing using ...  
The classical approach  
No luck with...



Stop



### 5.1.1 uniprint

The “uniprint” program contained in the yudit package can convert a text file to Postscript. For uniprint to find the Cyberbit font, symlink it to `/usr/local/share/yudit/data/cyberbit.ttf`.

### 5.1.2 wprint

The “wprint” (WorldPrint) program by Eduardo Trapani <http://ttt.esperanto.org.uy/programoj/angle/wprint.html> postprocesses Postscript output produced by Netscape Communicator or Mozilla from HTML pages or plain text files.

The output is nearly perfect; only in Cyrillic paragraphs the line breaking is incorrect: the lines are only about half as wide as they should be.

### 5.1.3 Comparison

For plain text, uniprint has a better overall layout. On the other hand, only wprint gets Thai output correct.

## 5.2 The classical approach

Another way to print with TrueType fonts is to convert the TrueType font to a Postscript font using the `ttf2pt1` utility (<http://www.netSPACE.net.au/~mheath/ttf2pt1/>, <http://quadrant.netSPACE.net.au/ttf2pt1/>). Details can be found in Julius Chroboczek’s “Printing with TrueType fonts in Unix” writeup, <http://www.dcs.ed.ac.uk/home/jec/programs/xfsft/printing.html>.

## Content



Printing using ...  
The classical approach  
No luck with...



Stop



### 5.2.1 T<sub>E</sub>X, Omega

TODO: CJK, metafont, omega, dvips, odvips, utf8-tex-0.1

### 5.2.2 DocBook

TODO: db2ps, jadetex

### 5.2.3 groff -Tps

“groff -Tps” produces Postscript output. Its Postscript output driver supports only a very limited number of Unicode characters (only what Postscript supports by itself).

## 5.3 No luck with...

#### 5.3.1 Netscape’s “Print...”

As of version 4.72, Netscape Communicator cannot correctly print HTML pages in UTF-8 encoding. You really have to use wprint.

#### 5.3.2 Mozilla’s “Print...”

As of version M16, printing of HTML pages is apparently not implemented.

Content



Printing using ...  
The classical approach  
No luck with...



Stop



### 5.3.3 html2ps

As of version 1.0b1, the html2ps HTML to Postscript converter does not support UTF-8 encoded HTML pages and has no special treatment of fonts: the generated Postscript uses the standard Postscript fonts.

### 5.3.4 a2ps

As of version 4.12, a2ps doesn't support printing UTF-8 encoded text.

### 5.3.5 enscript

As of version 1.6.1, enscript doesn't support printing UTF-8 encoded text. By default, it uses only the standard Postscript fonts, but it can also include a custom Postscript font in the output.

Content



Printing using ...  
The classical approach  
No luck with...



Stop



## 6 Making your programs Unicode aware

6.1	C/C++	68
6.1.1	For normal text handling	69
6.1.1.1	Portability notes	70
6.1.1.2	The libutf8 library	74
6.1.1.3	The Plan9 way	75
6.1.2	For graphical user interface	75
6.1.3	For advanced text handling	75
6.1.4	For conversion	76
6.1.4.1	iconv	77
6.1.4.2	librecode	77
6.1.4.3	ICU	78
6.1.5	Other approaches	78
6.2	Java	79
6.3	Lisp	80
6.4	Ada95	81
6.5	Python	81
6.6	JavaScript/ECMAScript	82
6.7	Tcl	82
6.8	Perl	82

### 6.1 C/C++

The C `'char'` type is 8-bit and will stay 8-bit because it denotes the smallest addressable data unit. Various facilities are available:

### Content



C/C++  
Java  
Lisp  
Ada95  
Python  
JavaScript/ECMAScript  
Tcl  
Perl



### Stop



## 6.1.1 For normal text handling

The ISO/ANSI C standard contains, in an amendment which was added in 1995, a “wide character” type ‘`wchar_t`’, a set of functions like those found in `<string.h>` and `<ctype.h>` (declared in `<wchar.h>` and `<wctype.h>`, respectively), and a set of conversion functions between ‘`char *`’ and ‘`wchar_t *`’ (declared in `<stdlib.h>`).

Good references for this API are

- the GNU libc-2.1 manual, chapters 4 “Character Handling” and 6 “Character Set Handling”,
- the manual pages [man-mbswcs.tar.gz](http://man-mbswcs.tar.gz), now contained in [ftp://ftp.win.tue.nl/pub/linux-local/manpages/man-pages-1.29.tar.gz](http://ftp.win.tue.nl/pub/linux-local/manpages/man-pages-1.29.tar.gz),
- the OpenGroup’s introduction [http://www.unix-systems.org/version2/whatsnew/login\\_mse.html](http://www.unix-systems.org/version2/whatsnew/login_mse.html),
- the OpenGroup’s Single Unix specification <http://www.UNIX-systems.org/online.html>,
- the ISO/IEC 9899:1999 (ISO C 99) standard. The latest draft before it was adopted is called n2794. You find it at [ftp://ftp.csn.net/DMK/sc22wg14/review/](http://ftp.csn.net/DMK/sc22wg14/review/) or <http://java-tutor.com/docs/c/>.
- Clive Feather’s introduction <http://www.lysator.liu.se/c/na1.html>,
- the Dinkumware C library reference <http://www.dinkumware.com/htm.cl/>.

Advantages of using this API:

## Content



C/C++

Java

Lisp

Ada95

Python

JavaScript/ECMAScript

Tcl

Perl



Stop



- It's a vendor independent standard.
- The functions do the right thing, depending on the user's locale. All a program needs to call is `setlocale(LC_ALL, "");`.

Drawbacks of this API:

- Some of the functions are not multithread-safe, because they keep a hidden internal state between function calls.
- There is no first-class locale datatype. Therefore this API cannot reasonably be used for anything that needs more than one locale or character set at the same time.
- The OS support for this API is not good on most OSes.

#### 6.1.1.1 Portability notes

A `wchar_t` may or may not be encoded in Unicode; this is platform and sometimes also locale dependent. A multibyte sequence `'char *'` may or may not be encoded in UTF-8; this is platform and sometimes also locale dependent.

In detail, here is what the Single Unix specification says about the `wchar_t` type: *All wide-character codes in a given process consist of an equal number of bits. This is in contrast to characters, which can consist of a variable number of bytes. The byte or byte sequence that represents a character can also be represented as a wide-character code. Wide-character codes thus provide a uniform size for manipulating text data. A wide-character code having all bits zero is the null wide-character code, and terminates wide-character strings. The wide-character value for each member of the*

Content



C/C++

Java

Lisp

Ada95

Python

JavaScript/ECMAScript

Tcl

Perl



Stop



*Portable Character Set (i.e. ASCII) will equal its value when used as the lone character in an integer character constant. Wide-character codes for other characters are locale- and implementation-dependent. State shift bytes do not have a wide-character code representation.*

One particular consequence is that in portable programs you shouldn't use non-ASCII characters in string literals. That means, even though you know the Unicode double quotation marks have the codes U+201C and U+201D, you shouldn't write a string literal `L"\u201cHello\u201d, he said"` or `"\xe2\x80\x9cHello\xe2\x80\x9d, he said"` in C programs. Instead, use GNU gettext, write it as `gettext("'Hello', he said")`, and create a message database `en.po` which translates `'Hello', he said` to `\u201cHello\u201d, he said`.

Here is a survey of the portability of the ISO/ANSI C facilities on various Unix flavours. GNU glibc-2.2 will support all of it, but for now we have the following picture.

- GNU glibc-2.0.x, glibc-2.1.x
  - `<wchar.h>` and `<wctype.h>` exist.
  - Has `wcs/mbs` functions, but no `fgetwc/fputwc/wprintf`.
  - No UTF-8 locale.
  - `mbrtowc` returns `EILSEQ` for bytes `>= 0x80`.
- AIX 4.3
  - `<wchar.h>` and `<wctype.h>` exist.
  - Has `wcs/mbs` functions, `fgetwc/fputwc/wprintf`, everything.

Content



C/C++

Java

Lisp

Ada95

Python

JavaScript/ECMAScript

Tcl

Perl



Stop





- Has many UTF-8 locales, one for every country.
- Needs `-D_XOPEN_SOURCE=500` in order to define `mbstate_t`.
- `mbrtowc` works.
- Solaris 2.7
  - `<wchar.h>` and `<wctype.h>` exist.
  - Has `wcs/mbs` functions, `fgetwc/fputwc/wprintf`, everything.
  - Has the following UTF-8 locales: `en_US.UTF-8`, `de.UTF-8`, `es.UTF-8`, `fr.UTF-8`, `it.UTF-8`, `sv.UTF-8`.
  - `mbrtowc` returns `-1/EILSEQ` (instead of `-2`) for bytes `>= 0x80`.
- OSF/1 4.0d
  - `<wchar.h>` and `<wctype.h>` exist.
  - Has `wcs/mbs` functions, `fgetwc/fputwc/wprintf`, everything.
  - Has an add-on `universal.utf8@ucs4` locale, see “man 5 unicode”.
  - `mbrtowc` does not know about UTF-8.
- Irix 6.5
  - `<wchar.h>` and `<wctype.h>` exist.
  - Has `wcs/mbs` functions and `fgetwc/fputwc`, but not `wprintf`.

## Content



C/C++  
 Java  
 Lisp  
 Ada95  
 Python  
 JavaScript/ECMAScript  
 Tcl  
 Perl



Stop



- Has no multibyte locales.
- Has only a dummy definition for `mbstate_t`.
- Doesn't have `mbrtowc`.
- HP-UX 11.00
  - `<wchar.h>` exists, `<wctype.h>` does not.
  - Has `wcs/mbs` functions and `fgetwc/fputwc`, but not `wprintf`.
  - Has a `C.utf8` locale.
  - Doesn't have `mbstate_t`.
  - Doesn't have `mbrtowc`.

As a consequence, I recommend to use the restartable and multithread-safe `wcsr/mbsr` functions, forget about those systems which don't have them (Irix, HP-UX, AIX), and use the UTF-8 locale plug-in `libutf8.plug.so` (see below) on those systems which permit you to compile programs which use these `wcsr/mbsr` functions (Linux, Solaris, OSF/1).

A similar advice, given by Sun in <http://www.sun.com/software/white-papers/wp-unicode/>, section “Internationalized Applications with Unicode”, is:

*To properly internationalize an application, use the following guidelines:*

1. *Avoid direct access with Unicode. This is a task of the platform's internationalization framework.*
2. *Use the POSIX model for multibyte and wide-character interfaces.*

## Content



C/C++  
Java  
Lisp  
Ada95  
Python  
JavaScript/ECMAScript  
Tcl  
Perl



Stop



3. *Only call the APIs that the internationalization framework provides for language and cultural-specific operations.*

4. *Remain code-set independent.*

If, for some reason, in some piece of code, you really have to assume that ‘wchar\_t’ is Unicode (for example, if you want to do special treatment of some Unicode characters), you should make that piece of code conditional upon the result of `is_locale_utf8()`. Otherwise you will mess up your program’s behaviour in different locales or other platforms. The function `is_locale_utf8` is declared in `utf8locale.h` and defined in `utf8locale.c`.

#### 6.1.1.2 The libutf8 library

A portable implementation of the ISO/ANSI C API, which supports 8-bit locales and UTF-8 locales, can be found in `libutf8-0.7.3.tar.gz`.

Advantages:

- Unicode UTF-8 support now, portably, even on OSes whose multibyte character support does not work or which don’t have multibyte/wide character support at all.
- The same binary works in all OS supported 8-bit locales and in UTF-8 locales.
- When an OS vendor adds proper multibyte character support, you can take advantage of it by simply recompiling without `-DHAVE_LIBUTF8` compiler option.

Content



C/C++

Java

Lisp

Ada95

Python

JavaScript/ECMAScript

Tcl

Perl



Stop



### 6.1.1.3 The Plan9 way

The Plan9 operating system, a variant of Unix, uses UTF-8 as character encoding in all applications. Its wide character type is called ‘Rune’, not ‘wchar\_t’. Parts of its libraries, written by Rob Pike and Howard Trickey, are available at <ftp://ftp.cdrom.com/pub/netlib/research/9libs/9libs-1.0.tar.gz>. Another similar library, written by Alis-tair G. Crooks, is <ftp://ftp.cdrom.com/pub/NetBSD/packages/distfiles/libutf-2.10.tar.gz>. In particular, each of these libraries contains an UTF-8 aware regular expression matcher.

Drawback of this API:

- UTF-8 is compiled in, not optional. Programs compiled in this universe lose support for the 8-bit encodings which are still frequently used in Europe.

### 6.1.2 For graphical user interface

The Qt-2.0 library <http://www.troll.no/> contains a fully-Unicode QString class. You can use the member functions `QString::utf8` and `QString::fromUtf8` to convert to/from UTF-8 encoded text. The `QString::ascii` and `QString::latin1` member functions should not be used any more.

### 6.1.3 For advanced text handling

The previously mentioned libraries implement Unicode aware versions of the ASCII concepts. Here are libraries which deal with Unicode concepts, such as titlecase (a third letter case, different from uppercase and lowercase), distinction between punctuation and symbols, canonical decomposition, combining classes, canonical ordering and the like.

## Content



C/C++

Java

Lisp

Ada95

Python

JavaScript/ECMAScript

Tcl

Perl



Stop



- ucddata-2.4

The ucddata library by Mark Leisher <http://crl.nmsu.edu/~mleisher/ucdata.html> deals with character properties, case conversion, decomposition, combining classes. The companion package ure-0.5 <http://crl.nmsu.edu/~mleisher/ure-0.5.tar.gz> is a Unicode regular expression matcher.

- ustring

The ustring C++ library by Rodrigo Reyes <http://ustring.charabia.net/> deals with character properties, case conversion, decomposition, combining classes, and includes a Unicode regular expression matcher.

- ICU

International Components for Unicode <http://oss.software.ibm.com/icu/> (look also at <http://oss.software.ibm.com/icu/icuhtml/API1.5/>). IBM's very comprehensive internationalization library featuring Unicode strings, resource bundles, number formatters, date/time formatters, message formatters, collation and more. Lots of supported locales. Portable to Unix and Win32, but compiles out of the box only on Linux libc6, not libc5.

- libunicode

The GNOME libunicode library <http://cvs.gnome.org/lxr/source/libunicode/> by Tom Tromey and others. It covers character set conversion, character properties, decomposition.

#### 6.1.4 For conversion

Two kinds of conversion libraries, which support UTF-8 and a large number of 8-bit character sets, are available:

## Content



C/C++

Java

Lisp

Ada95

Python

JavaScript/ECMAScript

Tcl

Perl



Stop



#### 6.1.4.1 iconv

The iconv implementation by Ulrich Drepper, contained in the GNU glibc-2.1.3. <ftp://ftp.gnu.org/pub/gnu/glibc/glibc-2.1.3.tar.gz>. The iconv manpages are now contained in <ftp://ftp.win.tue.nl/pub/linux-local/manpages/man-pages-1.29.tar.gz>.

The portable iconv implementation by Bruno Haible. <ftp://ftp.ilog.fr/pub/Users/haible/gnu/libiconv-1.3.tar.gz>

The portable iconv implementation by Konstantin Chuguev. <[joy@urc.ac.ru](mailto:joy@urc.ac.ru)> <ftp://ftp.urc.ac.ru/pub/local/OS/Unix/converters/iconv-0.4.tar.gz>

Advantages:

- iconv is POSIX standardized, programs using iconv to convert from/to UTF-8 will also run under Solaris. However, the names for the character sets differ between platforms. For example, “EUC-JP” under glibc is “eucJP” under HP-UX. (The official IANA name for this character set is “EUC-JP”, so it’s clearly a HP-UX deficiency.)
- On glibc-2.1 systems, no additional library is needed. On other systems, one of the two other iconv implementations can be used.

#### 6.1.4.2 librecode

librecode by François Pinard <ftp://ftp.gnu.org/pub/gnu/recode/recode-3.5.tar.gz>.

Advantages:

- Support for transliteration, i.e. conversion of non-ASCII characters to sequences of ASCII characters in order to preserve readability by humans, even when a lossless transformation is impossible.

#### Content



C/C++

Java

Lisp

Ada95

Python

JavaScript/ECMAScript

Tcl

Perl



Stop



Drawbacks:

- Non-standard API.
- Slow initialization.

### 6.1.4.3 ICU

International Components for Unicode <http://oss.software.ibm.com/icu/> (look also at <http://oss.software.ibm.com/icu/icuhtml/API1.5/>). IBM's internationalization library also has conversion facilities, declared in `'ucnv.h'`.

Advantages:

- Comprehensive set of supported encodings.

Drawbacks:

- Non-standard API.

### 6.1.5 Other approaches

- libutf-8  
libutf-8 by G. Adam Stanislav <[adam@whizkidtech.net](mailto:adam@whizkidtech.net)> contains a few functions for on-the-fly conversion from/to UTF-8 encoded 'FILE\*' streams. <http://www.whizkidtech.net/i18n/libutf-8-1.0.tar.gz>

Advantages:

- Very small.

Content



C/C++

Java

Lisp

Ada95

Python

JavaScript/ECMAScript

Tcl

Perl



Stop



Drawbacks:

- Non-standard API.
- UTF-8 is compiled in, not optional. Programs compiled with this library lose support for the 8-bit encodings which are still frequently used in Europe.
- Installation is nontrivial: Makefile needs tweaking, not autoconfiguring.

## 6.2 Java

Java has Unicode support built into the language. The type ‘char’ denotes a Unicode character, and the ‘java.lang.String’ class denotes a string built up from Unicode characters.

Java can display any Unicode characters through its windowing system AWT, provided that 1. you set the Java system property “user.language” appropriately, 2. the /usr/lib/java/lib/font.properties.*language* font set definitions are appropriate, and 3. the fonts specified in that file are installed. For example, in order to display text containing japanese characters, you would install japanese fonts and run “java -Duser.language=ja ...”. You can combine font sets: In order to display western european, greek and japanese characters simultaneously, you would create a combination of the files “font.properties” (covers ISO-8859-1), “font.properties.el” (covers ISO-8859-7) and “font.properties.ja” into a single file. ??This is untested??

The interfaces java.io.DataInput and java.io.DataOutput have methods called ‘readUTF’ and ‘writeUTF’ respectively. But note that they don’t use UTF-8; they use a modified UTF-8 encoding: the NUL character is encoded as the two-byte sequence 0xC0 0x80 instead of 0x00, and a 0x00 byte is added at the end. Encoded this way, strings can contain NUL characters and nevertheless need not be prefixed with a length

Content



C/C++

Java

Lisp

Ada95

Python

JavaScript/ECMAScript

Tcl

Perl



Stop





field - the C `<string.h>` functions like `strlen()` and `strcpy()` can be used to manipulate them.

## 6.3 Lisp

The Common Lisp standard specifies two character types: ‘base-char’ and ‘character’. It’s up to the implementation to support Unicode or not. The language also specifies a keyword argument ‘:external-format’ to ‘open’, as the natural place to specify a character set or encoding.

Among the free Common Lisp implementations, only CLISP <http://clisp.cons.org/> supports Unicode. You need a CLISP version from March 2000 or newer. <ftp://clisp.cons.org/pub/lisp/clisp/source/clispsrc.tar.gz>. The types ‘base-char’ and ‘character’ are both equivalent to 16-bit Unicode. The functions `char-width` and `string-width` provide an API comparable to `wcwidth()` and `wcswidth()`. The encoding used for file or socket/pipe I/O can be specified through the ‘:external-format’ argument. The encodings used for tty I/O and the default encoding for file/socket/pipe I/O are locale dependent.

Among the commercial Common Lisp implementations:

LispWorks [http://www.xanalys.com/software\\_tools/products/](http://www.xanalys.com/software_tools/products/) supports Unicode. The type ‘base-char’ is equivalent to ISO-8859-1, and the type ‘simple-char’ (subtype of ‘character’) contains all Unicode characters. The encoding used for file I/O can be specified through the ‘:external-format’ argument, for example ‘:(UTF-8). Limitations: Encodings cannot be used for socket I/O. The editor cannot edit UTF-8 encoded files. Eclipse <http://www.elwood.com/eclipse/eclipse.htm> supports Unicode. See <http://www.elwood.com/eclipse/char.htm>. The type ‘base-char’ is equivalent to ISO-8859-1, and the type ‘character’ contains all Unicode characters. The encoding used for file I/O can be specified through a combination of the ‘:element-type’ and ‘:external-format’

## Content



C/C++

Java

Lisp

Ada95

Python

JavaScript/ECMAScript

Tcl

Perl



## Stop



arguments to ‘open’. Limitations: Character attribute functions are locale dependent. Source and compiled source files cannot contain Unicode string literals.

The commercial Common Lisp implementation Allegro CL will have Unicode support in its upcoming release 6.0.

## 6.4 Ada95

Ada95 was designed for Unicode support and the Ada95 standard library features special ISO 10646-1 data types `Wide_Character` and `Wide_String`, as well as numerous associated procedures and functions. The GNU Ada95 compiler (gnat-3.11 or newer) supports UTF-8 as the external encoding of wide characters. This allows you to use UTF-8 in both source code and application I/O. To activate it in the application, use “WCEM=8” in the FORM string when opening a file, and use compiler option “-gnatW8” if the source code is in UTF-8. See the GNAT (<ftp://cs.nyu.edu/pub/gnat/>) and Ada95 (<ftp://ftp.cnam.fr/pub/Ada/PAL/userdocs/docadalt/rm95/index.htm>) reference manuals for details.

## 6.5 Python

Python 2.0 (<http://starship.python.net/crew/amk/python/writing/new-python/new-python.html>) will contain Unicode support. In particular, it will have a data type ‘unicode’, representing a Unicode string. a module ‘unicodedata’ for the character properties, and a set of converters for the most important encodings. See <http://starship.python.net/crew/lemburg/unicode-proposal.txt> for details.

## Content



C/C++

Java

Lisp

Ada95

Python

JavaScript/ECMAScript

Tcl

Perl



Stop



## 6.6 JavaScript/ECMAScript

Since JavaScript version 1.3, strings are always Unicode. There is no character type, but you can use the `\uXXXX` notation for Unicode characters inside strings. No normalization is done internally, so it expects to receive Unicode Normalization Form C, which the W3C recommends. See <http://developer.netscape.com/docs/manuals/communicator/jsref/js13.html#Unicode> for details and <http://developer.netscape.com/docs/javascript/e262-pdf.pdf> for the complete ECMAScript specification.

## 6.7 Tcl

Tcl/Tk started using Unicode as its base character set with version 8.1. Its internal representation for strings is UTF-8. It supports the `\uXXXX` notation for Unicode characters. See <http://dev.scriptics.com/doc/howto/i18n.html>.

## 6.8 Perl

Perl 5.6 stores strings internally in UTF-8 format, if you write

```
use utf8;
```

at the beginning of your script. `length()` returns the number of characters of a string. For details, see the Perl-i18n FAQ at <http://rf.net/~james/perl18n.html>.

## Content



C/C++

Java

Lisp

Ada95

Python

JavaScript/ECMAScript

Tcl

Perl



Stop



## 7 Other sources of information

7.1	Mailing lists	83
7.1.1	linux-utf8	83
7.1.2	li18nux	83
7.1.3	unicode	84
7.1.4	X11 internationalization	84
7.1.5	X11 fonts	85

### 7.1 Mailing lists

Broader audiences can be reached at the following mailing lists.

Note that where I write ‘at’, you should write ‘@’. (Anti-spam device.)

#### 7.1.1 linux-utf8

Address: `linux-utf8` at `nl.linux.org`

This mailing list is about internationalization with Unicode, and covers a broad range of topics from the keyboard driver to the X11 fonts.

Archives are at <http://mail.nl.linux.org/linux-utf8/>.

To subscribe, send a message to `majordomo` at `nl.linux.org` with the line “subscribe linux-utf8” in the body.

#### 7.1.2 li18nux

Address: `linux-i18n` at `sun.com`

## Content



Mailing lists



Stop



This mailing list is focused on organizing internationalization work on Linux, and arranging meetings between people.

To subscribe, fill in the form at <http://www.li18nux.org/> and send it to `linux-i18n-request` at `sun.com`.

### 7.1.3 unicode

Address: `unicode` at `unicode.org`

This mailing list is focused on the standardization and continuing development of the Unicode standard, and related technologies, such as Bidi and sorting algorithms.

Archives are at <ftp://ftp.unicode.org/Public/MailArchive/>, but they are not regularly updated.

For subscription information, see <http://www.unicode.org/unicode/consortium/dist-list.html>.

### 7.1.4 X11 internationalization

Address: `i18n` at `xfree86.org`

This mailing list addresses the people who work on better internationalization of the X11/XFree86 system.

Archives are at <http://devel.xfree86.org/archives/i18n/>.

To subscribe, send mail to the friendly person at `i18n-request` at `xfree86.org` explaining your motivation.

Content



Mailing lists



Stop



## 7.1.5 X11 fonts

Address: **fonts** at **xfree86.org**

This mailing list addresses the people who work on Unicode fonts and the font subsystem for the X11/XFree86 system.

Archives are at <http://devel.xfree86.org/archives/fonts/>.

To subscribe, send mail to the overworked person at **fonts-request** at xfree86.org explaining your motivation.

**Content**



**Mailing lists**



**Stop**

